


1200x2800mm | 1200x2400mm 1200x1800mm | 1200x1200mm 800x1600mm



ABOUT FOUR TILE

FOUR TILE is situated in Morbi, the country's most promising tile manufacturing hub in Saurashtra, Gujarat, we have the adequate plant capacity and know-how to serve any order size, and client specifications in the shortest possible time frame. With easy access to bestquality raw material, labour resource (skilled and semi-skilled), uninterrupted power supply and in close proximity of major sea ports (Mundra and Kandla), we cater to top clients in the international and domestic markets. In terms of quality we are on-par with the best in the international market, whereas on the price parameter, we are a clear winner.

ONE DESIGN



DYNAMIC SIZES

APPLICATIONS

































Facade









Resistant

FEATURES

Resistant to



Humidity










Resistant Cleaning Products

LUXURY

DISCOVER SOUL OF



Dive deep inside the heart of art and functionality with tiles that create a seamless visual feast in earthy hues in an array of convenient sizes that will give your spaces a breath of life.





www.4tile.in

AVAILABLE IN SIZE OF

1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm

THICKNESS

9mm

FINISH **GLOSSY**









AMARNA ONXY









PREVIEW OF **STYLO ONYX**









STYLO ONYX BEIGE PATAGONIA SPRING

STYLO ONYX

page 04



VENUS CREMA



VENUS GREY



PREVIEW OF ASH GREY

ROTTEN GREY







AURORA NATURAL



AURORA BROWN







9mm



THICKNESS

AVAILABLE IN SIZE OF



1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm


















DOLOMITE LIGHT GREY



DOLOMITE DARK GREY





ARTIC BEIGE



ROTTEN CREMA



www.4tile.in

AVAILABLE IN SIZE OF

1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm

THICKNESS

FINISH

GLOSSY (WHITE)

9mm











ULTRA STATUARIO



VENA FINE STATUARIO



ROMAN SATVARIO





STATURIO EVA



STATUARY WHITE






PREVIEW OF **SATUVARIO GREY**







LUNA WHITE




CLASSIC CARARA

LUCINA WHITE

FANTASTIC WHITE




PREVIEW OF **ESCLATE STATUARIO**



ARAVALI WHITE

CLOBAL WHITE



ALASKA BIANCO



FLOUR STATUARIO




CALACATTA CALDIA



CALACATTA PAONAZZO





9mm

THICKNESS

FINISH

GLOSSY (WHITE)

FOUR TILE

AVAILABLE IN SIZE OF



1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm

















PREVIEW OF CALACATTA PAONAZZO

ARAL WHITE

CALACATTA SUN





AVAILABLE IN SIZE OF

1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm

THICKNESS

9mm

FINISH **HIGH GLOSS**


















ARMANI BRONZE







PREVIEW OF WRAN BLACK









PANDA WHITE

AMBARATO GOLD

MARQUINIA BLACK

page 12



AVAILABLE IN SIZE OF

1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm

THICKNESS

HIGH GLOSS

9mm

FINISH









AVOCATUS NERO



CASSILA LIGHT GREY



CASSILA DARK GREY





AVAILABLE IN SIZE OF

1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm

THICKNESS

RUSTIC MATT

9mm

FINISH














ONYX THUNDER



AVOCATUS BROWN

PREVIEW OF **ONYX THUNDER**



PREVIEW OF BRUNO NERO



BRUNO NERO



LUXURIO NERO



PREVIEW OF CASSILA LIGHT & DARK GREY









NICOL GREY













THICKNESS

RUSTIC MATT

9mm

FINISH

AVAILABLE IN SIZE OF

1200x2800mm | 1200x2400mm | 1200x1800mm 1200x1200mm | 800x1600mm





MONT PEARL



PREVIEW OF MONT PEARL & GRIGIO









SKYROS GREY

GERMAN BIANCO

GERMAN GREY

GERMAN NERO



PREVIEW OF **DUNESH BEIGE & BROWN**









DUNESH BROWN









AUSTIN NERO

page 18

AUSTIN WHITE



TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF 4 TILE PGVT	MEAN VALUE OF 4 TILE GVT	
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	
Straightness in side	±0.5 %	±0.1 %	±0.1 %	
Rectangularity	±0.5 %	±0.1 %	±0.1 %	
Surface flatness	±0.5 %	±0.2 %	±0.2 %	
Color difference	Unaltered	No change	No change	
Glossiness	As per mfg.	Min. 90%	Min. 90%	
Water absorption	≤0.50 %	≤0.05 % (±0.02%)	≤0.05 % (±0.02%)	
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	
Breaking strength	Min. 1300 N	Min. 3000 N	Min. 3000 N	
mpact resistance	As per mfg.	Min. 0.55	Min. 0.55	
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-3	
MOH's hardness	As per mfg.	Min. 4	Min. 5	
Frost resistance	No damage	No damage	No damage	
Thermal shock resistance	No damage	No damage	No damage	
Moisture expansion	Nil	Nil	Nil	
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	
Chemical resistance	No damage	No damage No damage		
Stain resistance	Resistant	Resistant	Resistant	
ilip resistance	As per mfg.	> 0.40	> 0.40	
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	

PACKING DETAIL

Sr. No.	Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt. / Box (approx.)
1	1200x2800mm	9mm	1 pc	3.36 Sq m / 36.17 Sq f	73.00 kg
2	1200x2400mm	9mm	1 pc	2.88 Sq m / 31.00 Sq f	60.00 kg
3	1200x1800mm	9mm	2 pcs	4.32 Sq m / 46.50 Sq f	88.00 kg
4	1200x1200mm	9mm	2 pcs	2.88 Sq m / 31.00 Sq f	60.00 kg
5	800x1600mm	9mm	2 pcs	2.56 Sq m / 27.50 Sq f	52.00 kg



Office Address : Office No. CH-06, Eden Ceramic City, Survey No. 42, Plot No. 1 & 2, At. Lalpar, Morbi - 363 642, Gujarat, INDIA

Factory Address : Solizo Vitrified Pvt. Ltd. Matel Road, Morbi, Gujarat, INDIA

Inquiry: export@4tile.in

◎ f in | 4tile.in