



ELEVATOR PARTS



GALAXY FUJI ELEVATOR CO., LTD

Address: 1st Floor, No. 10, Lane 255, Xiaotang Road, Fengxian District, Shanghai, China
KATHERINE
MP: +86 19888125655
Email: katherine.galaxyfuji@gmail.com

CHARLEY
MP: +86 13671543901
Email: charley.galaxyfuji@gmail.com
Facebook: Galaxy Fuji Elevator

GALAXY FUJI ELEVATOR CO., LTD

Galaxy Fuji lift you up



CONTENTS

Company Profile	01
Door System	03
Electric System	13
Traction System	27
Guide Rail and Balance System	35
Safety Components	39
Cabin System	43
Anti-epidemic Products	53
Escalator Parts	57

We have been growing to become the market and innovation leader for elevator business. Our company, which has been acting with the experience and knowledge gained in the sector for many years, continues to maintain its friendly and quality service understanding.

Our company is based on marketing experience. It is our challenge to enable clients to turn opportunities into real value-added business. We offer machines and services with high value retention. By doing so, we ensure process reliability and efficiency for customers all over the world. We perform fully detailed market analysis and define jointly with you the required measurements and actions.

With the knowledge and experience that years have contributed to us, we ensure that our products meet with the end consumer by determining the correct market analysis and hot sales channels on site. That's what define us and what motivates us.


Door System

- Mitsubishi Door Operator
- Selcom Door Operator
- Fermator Door Operator
- Door Operator Parts
- Elevator Light Curtain
- Synchronous Belt & Synchronous Pulley
- Fireproof Door Operator Accessories

► Mitsubishi Door Operator



·GF-MVY-211
Center Opening Two Panel Operator
(Car Frame Installation)




·GF-MP-211
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-MP-211
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-MVT-211
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-MVT-211
Side Opening Two Panel Operator
(Car Frame Installation)



·GF-MVT-211
Side Opening Two Panel Operator
(Car Frame Installation)



·GF-MVT-411
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-LM-211
Center Opening Two Panel Operator
(Car Frame Installation)




·GF-LS-211
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-LM-201
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-LM-411
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-OV-211
Center Opening Two Panel Operator
(Car Frame Installation)


► Mitsubishi Door Operator



·GF-OZ-211
Center Opening Two Panel Operator
(Car Frame Installation)



·GF-OV-211
Side Opening Two Panel Operator
(Car Frame Installation)




·GF-OZ-210
Side Opening Two Panel Operator
(Car Frame Installation)




·GF-LO-211
Center Opening Two Panel Operator
(Car Frame Installation)




·GF-LO-210
Side Opening Two Panel Operator
(Car Frame Installation)




·GF-131-06A
Center Opening VVVF Door Operator
(Straight Beam Mounting)




·GF-131-06B
Center Opening VVVF Door Operator
(Car Top Mounting)




·GF-131-50-1A
Center Opening VVVF Door Operator
(Straight Beam Mounting)




·GF-131-50-1B
Center Opening VVVF Door Operator
(Car Top Installation)



·GF-131-50A
Center Opening VVVF Door Operator
(Straight Beam Mounting)




·GF-131-50B
Center Opening VVVF Door Operator
(Car Top Installation)



·GF-131-50-YC-A
Center Opening AC PM Door Operator
(Straight Beam Mounting)

► Mitsubishi Door Operator



·GF-131-50-YC-B
Center Opening AC PM Door Operator
(Car Top Installation)



·GF-131-52A
Side Opening VVVF Door Operator
(Straight Beam Mounting)



·GF-131-52B
Side Opening VVVF Door Operator
(Car Top Installation)



·GF-131-53A
3 Fold Next Door Operator
(Straight Beam Mounting)



·GF-131-53B
3 Fold Next Door Operator
(Car Top Installation)



·GF-131-54A
4 Panels Center Opening VVVF
Door Operator (Straight Beam Mounting)



·GF-131-54B
4 Panels Center Opening VVVF
Door Operator (Car Top Mounting)




·GF-131-56A
6 Panels Center Opening VVVF
Door Operator (Straight Beam Mounting)



·GF-131-56B
6 Panels Center Opening VVVF
Door Operator (Car Top Installation)



·GF-161-50
Center Opening Landing Door Mechanism



·GF-161-51
Side Opening Landing Door Mechanism



·GF-161-52
Side Opening Landing Door Device


► Mitsubishi Landing Door Hanger




► Components for Door Operator of the Passenger Elevator




► Components for Landing Door Device of the Passenger Elevator



Selcom Door Operator



·GF-ECO-02/C
Two Panels Center Opening
Car Door Operator




·GF-ECO-12/R-L
Two Panels Telescopic Opening
Car Door Operator



·GF-ECO-01C
Two Panels Center Opening Landing Door



·GF-OSCAR-02/C
Two Panels VVVF Center Opening
Car Door Operator



·GF-OSCAR-12/L-R
Two Panels VVVF Telescopic Opening
Car Door Operator



·GF-ECO-11/R-L
Two Panels Telescopic Opening
Landing Door

Selcom Door Operator Accessories



Tooth Belt



Driven Steel Wire Rope



Contact Bridge



Door Contact(Square)



Door Contact(Oblong)



Closing Spring



Hanging Bolts Set



Top Roller



Plastic Top Roller



Rope Roller



Bottom Roller



Emergency Key



Bottom Shoes Set



Emergency Release



Poly V Belt



Door Lock Base



Cam



Panasonic Controller

Fermator Door Operator




Side Opening Car Door




Side Opening Landing Door

Elevator Light Curtain



917A61



917B71


Synchronous Belt & Synchronous Pulley



► Fireproof Door Operator Accessories


Teflon series

Teflon is also called polytetrafluoroethylene (PTFE). This series of products have excellent high temperature resistance, wear resistance, corrosion resistance, self-lubrication and excellent flame retardancy. They are the best choice for fire elevators and fire protection accessories.



New patented product

Teflon coated iron rollers, this product inherits the fireproof performance of Teflon rollers. At the same time, when the rigid support is lost under the condition of Teflon ultra-high temperature, the iron groove can with back support.



► Fireproof Accessories

Fireproof accessories, the rubber can meet the V-O fireproof rating and can provide excellent shock absorption under normal conditions.



► Conventional Door Operator Accessories



► Damping Pad



► Buffer Pad



Electric System

- Elevator Controller
- Elevator Control Cabinet
- Weighing Measuring Device
- LOP Series
- COP Series
- Arrival Light Series
- Elevator Push Button Series
- Display Series
- Resistor
- Interphone
- Traveling Cable
- Limit Switch Series
- Encoder
- Photoelectric Switch
- Door Switch
- Oil Can
- Drive Pulley
- Elevator Fan
- IC System
- Elevator Parts

► Elevator Controller



·STEP-AS320



·STEP-AS360



·STEP-AS380



·STEP-AS330



NICE900



NICE1000



NICE3000



·Escalator controller



·EC300

► Elevator Control Cabinet



·STEP-MCP-ST/G 6400



·STEP-MCP-ST/G 2300



·STEP-MCP-ST/G 0100



·STEP-MCP-ST/B 6000



·STEP-CP-C7000



·MONARCH-NICE-CB1



·MONARCH-NICE-CE1

► Elevator Control Cabinet



·MONARCH-NICE-CF1



·MONARCH-NICE-CW1



·MONARCH-NICE-CX1



·Machine room control cabinet



·Machine roomless control cabinet



·Ville elevator control cabinet



·GF-ARD500



·GF-ARD3000T



·Escalator control cabinet



·GF-MTCC



·GF-EC100

► Weighing Measuring Device



·GF-MR100



·GF-MR200



·GF-MR300



·GF-EOM101

► LOP Series



·GF-BX-008



·GF-BX-008S



·GF-BX-BT-008S



·GF-XF-004



·GF-BX-051



·GF-BX-052



·GF-BX-053



·GF-BX-054



·GF-BX-038



·GF-BX-021



·GF-BX-018



·GF-BX-039



·GF-BX-041



·GF-BX-046



·GF-BX-011



·GF-BX-032



·GF-WH-001



·GF-WH-002



·GF-WH-003



·GF-WH-005



·GF-WH-009



·GF-WH-010



·GF-WH-013



·GF-WH-006



·GF-WH-007



·GF-WH-008



·GF-WH-011



·GF-WH-012



·GF-WH-015




·GF-WH-016


► COP Series



► Arrival Light Series




► Elevator Push Button Series




► Elevator Push Button Series



GF-EPB270



GF-EPB122




GF-EPB123




GF-EPB306




GF-EPB318




GF-EPB117



GF-EPB413



GF-EPB040




GF-EPB041



GF-EPB603



GF-EPB322-F



GF-EPB322-FS



GF-EPB322-Y



GF-EPB322-YS



GF-EPB013-Y



GF-EPB013-UY



GF-EPB013-F




GF-EPB561

► Elevator Push Button Series




GF-EPB124




GF-EPB316




GF-EPB305B-K




GF-EPB320B




GF-EPB111B




GF-EPB630B




GF-EPB271B




GF-EPB273B




GF-EPB630B



GF-EPB313B-X



GF-EPB313-O



GF-EPB313B-C



GF-EPB313



GF-EPB313C



GF-EPB313B-YJD



Round emergency light



Square emergency light



Long emergency light

► BST Elevator Push Button Series

欧洲标准按钮
EN Standard Button



澳洲标准按钮
Australian Standard Button



北美标准按钮
NA Standard Button



残疾梯标准按钮
Button for Handicap Elevator

新加坡标准按钮
Singapore Standard Button



树脂按钮
Resin Button

高透明度，水晶质感
High Transparency, Crystal Texture.



普通按钮
Normal Button

► BST Elevator Push Button Series

经济型按钮
Economic Button



防撞按钮
Anti-vandal Button



组合按钮
Combination Button



感应按钮
Touch Button

触摸灵敏，性能稳定。
Sensilive Touch, Stable Performance.




应急灯
Emergency Light

玻璃按钮
Glass Button




按钮锁
Key Button

STEP Display Series



MONARCH Display Series



Display Series




Resistor



Interphone



Traveling Cable



Limit Switch Series



► Door Switch



► Oil Can



Cooperative Supplier



► Elevator Fan



► IC System



► Elevator Parts



Traction System

- Traction Machine
- Rope Fastening
- Elevator Ropes
- Damping Pad
- Drive Pulley

► Economical Series For Passenger Elevator



·GF-MCK100
Load:320-630kg
Speed:0.5-1.75m/s



·GF-MCK200
Load:630-1150kg
Speed:0.5-2.5m/s



·GF-FRD21M
Load:320-450kg
Speed:0.4m/s



·GF-FRD32W
Load:450-1050kg
Speed:0.5-2.0m/s



·GF-FRD40E
Load:1150-1600kg
Speed:0.5-2.5m/s



·GF-FRD40W
Load:630-1600kg
Speed:0.5-2.0m/s



·GF-FRD45D
Load:1150-2500kg
Speed:0.5-3.0m/s



·GF-MONA320A
Load:320-450kg
Speed:0.5-1.0m/s



·GF-MONA320B
Load:630-1000kg
Speed:0.5-1.75m/s



·GF-FRD48
Load:1600-3000kg
Speed:0.5-3.0m/s



·GF-FRD40T
Load:630-1000kg
Speed:0.5-1.75m/s



·GF-B320/450
Load:320-450kg
Speed:0.5-1.75m/s



·GF-B630/1000
Load:630-1000kg
Speed:0.5-2.0m/s



·GF-B1150
Load:800-1150kg
Speed:0.5-2.5m/s



·GF-B1250
Load:1250kg
Speed:0.5-2.5m/s



·GF-P250/450
Load:250-450kg
Speed:0.4-0.5m/s

► General Series For Passenger Elevator



·GF-GTW3
Load:1150-1350kg
Speed:1.0-1.75m/s



·GF-GTW5A
Load:1350-2000kg
Speed:0.5-2.0m/s



·GF-GTW7A
Load:320-630kg
Speed:0.63-1.75m/s



·GF-GTW9S
Load:630-1150kg
Speed:1.0-2.0m/s



·GF-WJC
Load:320-1250kg
Speed:1.0-2.5m/s



·GF-WTY1
Load:320-800kg
Speed:1.0-2.0m/s



·GF-WRH
Load:450-1000kg
Speed:1.0-1.75m/s



·GF-WTY2
Load:1600-2000kg
Speed:1.0-2.5m/s

► Premium Series For Passenger Elevator



·GF-GETM1.9D
Load:400kg
Speed:0.4m/s



·GF-GETM6.0H
Load:1000-2000kg
Speed:1.0-3.0m/s



·GF-GETM3.0H(630kg)
Load:630kg
Speed:1.0-1.75m/s



·GF-GETM3.0H(800-1000kg)
Load:800-1000kg
Speed:1.0-1.75m/s



·GF-WSG09
Load:630-1050kg
Speed:1.0-2.0m/s



·GF-WSG-S1
Load:360-750kg
Speed:0.5-1.75m/s



·GF-WSG-S2.2
Load:800-1350kg
Speed:0.5-2.0m/s



·GF-WSG-TR
Load:630-1000kg
Speed:0.5-1.6m/s

► Economical Series For Freight Elevator



·GF-TMYJ135
Load:300-630kg
Speed:0.63-1.0m/s



·GF-TMYJ150K
Load:500-630kg
Speed:0.3-1.0m/s



·GF-TMYJ210
Load:1000-2000kg
Speed:0.25-1.0m/s



·GF-TMYJ210F
Load:630-2000kg
Speed:0.5-1.0m/s



·GF-TMYJ300
Load:2500-8000kg
Speed:0.25-1.0m/s



·GF-TMYJ350
Load:2000-28000kg
Speed:0.25-2.0m/s



·GF-YJ80
Load:100-350kg
Speed:0.35-0.8m/s



·GF-YJ100
Load:320-408kg
Speed:0.5-1.0m/s

► General Series For Freight Elevator



·GF-YJ125
Load:400kg
Speed:0.65-1.0m/s



·GF-YJ200A
Load:630-1000kg
Speed:0.5-2.0m/s



·GF-YJ320A
Load:2000-2500kg
Speed:0.5-2.0m/s



·GF-YJ410
Load:5000-5500kg
Speed:1.0-2.0m/s

► Premium Series For Freight Elevator



·GF-YJ160
Load:630-1000kg
Speed:0.63-1.6m/s



·GF-YJ240
Load:750-3000kg
Speed:0.63-2.0m/s



·GF-YJ245
Load:1000-2000kg
Speed:0.5-1.0m/s



·GF-YJ360
Load:1000-5000kg
Speed:0.63-2.5m/s

► Home Elevator Traction Machine Series



·GF-FRD21E
Load:320-630kg
Speed:0.4m/s



·GF-FRD21G
Load:320-450kg
Speed:0.4m/s



·GF-FRD32E
Load:450-1050kg
Speed:0.5-1.75m/s



·GF-FRD32G
Load:320-630kg
Speed:0.5-1.75m/s



·GF-FRD10G
Load:320-450kg
Speed:0.4m/s




·GF-FRD10GD
Load:320-450kg
Speed:0.4m/s




·GF-FRD15
Load:320-450kg
Speed:0.4m/s(Speed can be customized)



·GF-FRD16M
Load:320-450kg
Speed:0.4m/s



·GF-FRD18S
Load:320-450kg
Speed:0.4m/s



·GF-FRD21AX
Load:320-450kg
Speed:0.4m/s(Speed can be customized)



·GF-FRD32D
Load:450-1050kg
Speed:0.5-1.75m/s



·GF-FRD40D
Load:630-1050kg
Speed:0.5-2.5m/s

► Home Elevator Belt Traction Machine Series



·GF-FAXI80S
Load:250-400kg
Speed:0.3-0.4m/s



·GF-FAXI160XB
Load:320-630kg
Speed:0.3-1.0m/s



·GF-FAXI268
Load:600-1000kg
Speed:0.3-0.4m/s



·GF-FXW
Load:630-1050kg
Speed:1.0-2.0m/s

► Belt Traction Machine



·GF-GDX132
Load:630-2000kg
Speed:0.63-2.0m/s



·GF-GDX112-400
Load:400kg
Speed:0.4-1.0m/s



·GF-GDX112-480
Load:480kg
Speed:0.4-1.0m/s



·GF-GDX112-630
Load:630kg
Speed:0.4-1.0m/s

► Accessories



Counter Pulley



Brake Release




Belt Breaking Detect




Belt Lock



Grooved Belt



Smooth Belt



Belt Clip




Weight Device

► Traction Machine



·Escalator drive main engine



·GF-DA06



·GF-DA10



·GF-DA20

► Rope Fastening Series



Spring Rope Fastening



Rubber Rope Fastening



Flexible Rope Fastening

► Elevator Ropes Overview

6×19S+FC	6×19W+FC	6×25Fi+FC	6×29Fi+FC	6×36WS+FC
8×19S+FC	8×19W+FC	8×25Fi+FC	8×19S+IWRC	8×19W+IWRC
8×25Fi+IWRC	8×19S + IWRF	8×19W + IWRF	8×25Fi + IWRF	8×19S + IWRF
8×19S + PWRC	8×19W + PWRC	8×21Fi + PWRC	8×25Fi + PWRC	
9×17S+IWRC	9×19S+IWRC	9×19W+IWRC	9×21Fi+IWRC	9×25Fi+IWRC
9×17S + IWRF	9×19S + IWRF	9×19W + IWRF	9×21Fi + IWRF	9×25Fi + IWRF

► Damping Pad Series



·GF-S01



·GF-S02



·GF-S03



·GF-S04



·GF-S05



·GF-S06



·GF-S07



·GF-S08

► Drive Pulley Series



Steel Core Guide Pulley



Cast Iron Pulley



Secondary Pulley

Guide Rail And Balance System

- Roller Guide Shoe
- Sliding Guide Shoe
- Shoe Lining Series
- Guide Rail
- Compensating Chain
- Damping Device
- Counter Weight

► Roller Guide Shoe



GF-X01




GF-X02



GF-X03



GF-X06



GF-H01



GF-H02



GF-H05



GF-H07



GF-H08



GF-H09



GF-H22



GF-H25



GF-OX19



GF-H06(Φ70A)



GF-H06(Φ70B)



GF-H06(Φ55)



GF-H06(Φ70J)



GF-H06(Φ80J)



GF-H06(Φ100)



GF-H06(Φ100J)

► Sliding Guide Shoe



GF-SGS-X01
Rated speed:≤2.0m/s
Width of guide rails:9/10/16mm



GF-SGS-H03
Rated speed:≤2.5m/s
Width of guide rails:10/15.88/16mm



GF-SGS-H04
Rated speed:≤1.75m/s
Width of guide rails:9/10/15.88/16mm



GF-SGS-H14
Rated speed:≤1.75m/s
Width of guide rails:5/10/16.4mm



GF-SGS-H17
Rated speed:≤1.75m/s
Width of guide rails:5/9/10/15.88/16mm



GF-SGS-H27
Rated speed:≤2.5m/s
Width of guide rails:10/16mm



GF-SGS-KX04
Rated speed:≤1.75m/s
Width of guide rails:10/18mm



GF-SGS-YG031
Rated speed:≤1.75m/s
Width of guide rails:10/16.4mm

► Shoe Lining Series



230*(10/16)



120*(5/9/10/16)



140*(9/10/16)



100*(5/10/16)



220*(10/16)



200*(10/16)



10/16

► Guide Rail



Solid Rail



Hollow Rail



Solid Pressure Guides



Hollow Connecting Plate



Solid Connecting Plate



T-pressing Guides



Fitting

► Compensating Chain



GF-WFBS




GF-WFQS



GF-WFQS



GF-WFT-1



GF-WFT-2



S Hook



U Bolt



Hook



Mesh cable grip

► Damping Device




A type



B type




C type



D type



E type



F type



G type



H type



Q type



I type

► Counter Weight



Compound Counterweight



Cast Iron Counterweight



Steel Counterweight

Safety Components

- Safety Gear
- Speed Governor
- Inspection Box
- Buffer
- ARD
- Synchronous Belt & Synchronous Pulley

► Safety Gear



·GF-L01

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-L02

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-L03

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-L05

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-L06

Rated speed: $\leq 1.75\text{m/s}$ 


·GF-L07

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-AQ10

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-AQ10A

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-AQZII

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-JAQ4A

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-D01

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-D02

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-D03

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-D04

Rated speed: $\leq 2.5\text{m/s}$ 

·GF-AH01Z

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-AH02Z

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-AH03Z

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-AH04

Rated speed: $\leq 0.63\text{m/s}$ 

·GF-AH06

Rated speed: $\leq 0.63\text{m/s}$

► Speed Governor



·GF-LOG01



·GF-LOG02



·GF-XS240



·GF-OX187



·GF-OX186A



·GF-OX240B



·GF-OX240F



·GF-S2Y



·GF-ZJ240

► Inspection Box



► Buffer



► ARD



·GF-HCYD



·GF-3000T



·GF-500



·GF-TPS



·GF-EPD490



·GF-EPD500




·GF-61

·GF-71

Cabin System

- Cabin
- Ceiling
- Car Floor
- Car Handrail
- Landing Door Series
- Semi-Automatic Elevator Door System



► High-end Business Series



·GF-K002



·GF-K003



·GF-K004



·GF-K005



·GF-K008



·GF-K009



·GF-K034



·GF-K035



·GF-K036



·GF-K037

► Extravagant Atmosphere Series



·GF-K055



·GF-K056



·GF-K057



·GF-K058



·GF-K067



·GF-K068



·GF-K069



·GF-K070



·GF-K087



·GF-K088

► Modern Concise Series




·GF-K092



·GF-K093



·GF-K094



·GF-K095



·GF-K096



·GF-K097



·GF-K098



·GF-K099



·GF-K118




·GF-K119


► Warm Household Series



·GF-V002




·GF-V003




·GF-V004



·GF-V005



·GF-V006



·GF-V007



·GF-V008



·GF-V009



·GF-V012



·GF-V013

► Luxury Sightseeing Series



·GF-G001



·GF-G002



·GF-G003



·GF-G004



·GF-G005



·GF-G006




·GF-Y001



·GF-Y002

► Ceiling Series



·GF-D001



·GF-D002



·GF-D003



·GF-D004



·GF-D005



·GF-D006



·GF-D007




·GF-D008



·GF-D009



·GF-D010



·GF-D011



·GF-D012



·GF-D013



·GF-D014



·GF-D015



·GF-D033



·GF-D034



·GF-D041





·GF-D043






·GF-D044

► Handrail Series




► Floor Series-Customization Series



► Floor Series-Customization Series

Common elevator type size measurement methods


Simply draw the size sketch



Standard elevator

Through door elevator

Special-shaped elevator



Bevel edge elevator I

Bevel edge elevator II

Panoramic elevator

► Floor Series-Classical Marble Patterns



·GF-S001

·GF-S002

·GF-S003

·GF-S004

·GF-S005

·GF-S006

·GF-S007

► Floor Series-Chinese Brush Drawing Series



·GF-ZS002



·GF-ZS003



·GF-ZS004



·GF-ZS005



·GF-ZS009



·GF-ZS010

► Floor Series-Simulated Carpet Pattern Series



·GF-L001



·GF-L002



·GF-L003



·GF-L004



·GF-L005



·GF-L006

► Floor Series-Wood Grain Series



·GF-M001



·GF-M002



·GF-M003



·GF-M004



·GF-M006



·GF-M007

► Floor Series-Advertising Art Series



·GF-G001



·GF-G002




·GF-G003



·GF-G004




·GF-G005



·GF-G006


► Ceiling Lights Series



► Landing Door Series



► Semi-Automatic Elevator Door System



Anti-epidemic Products


► Hand Gesture Calling Landing System



Product Parameters

- 1, Sensing Method: infrared motion sensing of human hand.
- 2, Sensing Objects: human hands, gloves
- 3, Gesture Effective Range: distance from 5 to 15cm; angle: ± 30 degree horizontally forward of the center of the device
- 4, Power Voltage: input rated DC12-24V
- 5, Device Consumption: Maximum 1 W
- 6, Relay Pull-in time: 2 seconds
- 7, Available Time Interval between up calling and down calling: 1 second
- 8, Working Environment Temperature: $-20^{\circ}\text{C} \sim 60^{\circ}\text{C}$
- 9, Storage Temperature: $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$

► Intelligent Elevator Ultraviolet Disinfection System



- Interaction with the elevator signal system to ensure that the car is unmanned
- Multiple working modes with customizable anti-virus cycle
- Support network function, can be controlled remotely
- Optional wifi function, mobile APP control

Intelligent elevator ultraviolet disinfection system

► Anion Sterilization Cross Flow Fan



Elevator Sterilizer



UVC LED Sterilization Lamp



Touchless Human-computer Interaction Module



Elevator Touchless Button

Escalator Parts

- Step Series
- Handrail Series
- Pallet Series
- Frame Series
- Comb Plate Series
- Pulley Group Series
- Cover Plate Series
- Handrail Pressure Chain Series
- Rubber Entry & Exit Series
- Riding Wheel Series
- Roller Series
- Rotary Chain Series
- Elevator Door Wheel Series
- Glass Holder Series
- Escalator Drive
- Contactor Series
- Door Hanging Board Series
- Escalator Skirt Brush
- Screws Pack Series
- Rope Series
- Metal Machining Parts Series
- Escalator Fitting Series
- Parts Series
- Escalator Running Direction Indicator Series
- PCB Series

► Step Series



·GF-TJ001



·GF-TJ002



·GF-TJ007C



·GF-TJ008A



·GF-TJ003



·GF-TJ004



·GF-TJ008B



·GF-TJ008C



·GF-TJ005



·GF-TJ006



·GF-TJ008



·GF-TJ009

► Handrail Series



Black(Standard)



Grey(Optional)



Red(Optional)



Orange(Optional)



Blue(Optional)



Shallow Bluish
Green(Optional)



Light Brown(Optional)




Yellow(Optional)

► Pallet Series



► Frame Series




► Comb Plate Series




► Pulley Group Series



► Cover Plate Series



► Handrail Pressure Chain Series




► Rubber Entry & Exit Series



► Riding Wheel Series



► Roller Series




► Rotary Chain Series




► Elevator Door Wheel Series



► Glass Holder Series



Escalator Drive



Transformer



TDB-1100-22 21 18



KMZ-1000-02



AC1000VC220AN2



AC1000VC220AN2



XAA225AS2

Contactor Series



GF-C0319



GF-C0320



GF-C0321



GF-C0322



GF-C0335



GF-C0334



GF-C0333



GF-C0131



GF-C0332



GF-C0331



GF-C0330




GF-C0103

Door Hanging Board Series



For Guangri



For Guangri



For Hitachi



For Hitachi



For Mitsubishi



For XINDA



For Mitsubishi




For OTIS




For OTIS

Escalator Skirt Brush



► Screws Pack Series



► Rope Series



Type:	Spring hammer wire rope Wire rope The weight of steel wire rope
Standard:	Air wire rope
Diameter:	ø3,ø3.18
Specification:	OP=700-1200
Pull force reirements:	Transmission rope,riveting tension > 2000N The hammer riveting pull rope, > 3000N
Steel wire rope head screw:	The commonly used M6,M8,M10

► Metal Machining Parts Series



► Escalator Fitting Series




► Parts Series



► Escalator Running Direction Indicator Series



► PCB Series



► Friction Wheel Series



·GF-MCL009
Φ690*220*35



·GF-MCL003
Φ587*30*-Φ10
Φ587*30-Φ12



·GF-MCL005
Φ587*30*-Φ10
Φ587*30-Φ12



·GF-MCL004
Φ456*30*-Φ50



·GF-MCL010
Φ496*30



·GF-MCL011
Φ587*Φ503*30



·GF-MCL012
Φ557*Φ503*30



·GF-MCL013
Φ440*30



·GF-MCL014
Φ597*30



·GF-MCL015
Φ650*30



·GF-MCL016
Φ650*30



·GF-MCL017
Φ456*Φ218*31

► Staircase Cleaning Device



·GF-QSZZ004



·GF-QSZZ001



·GF-QSZZ002



·GF-QSZZ003

