

The pictures are only part of the company's products, the colors, styles and configurations are for reference only, and the actual product shall prevail. The final interpretation right belongs to the company. Subject to change without notice!

1385892229

YONGKANG RUNTAI POWER TOOLS CO., LTD.

Add: 287lingshi road,chengxi industrial ZoneYongkang CityJinhuaZhejiang,China

Tel: 138 5890 2229 159 2592 5912

Fax: 0579-87143600 E-mail: Hanqi@runtatools.com



RUNTAI

IN 2024

POWER TOOLS

YONGKANG RUNTAI POWER TOOLS CO., LTD.

RUNTAI

COMPANY INTRODUCTION

Yongkang Runtai Tools Co., Ltd. is located in Yongkang City, Zhejiang Province. It is a company integrating manufacturing, processing and sales. We have advanced students And the perfect information management system, and the absorption of a large number of R&D talents, adhere to the professional line, which are the full development of enterprises. It provides a strong guarantee.

Our company specializes in producing electric tools, garden tools and accessories. We are well received by customers with excellent quality, competitive price and good service.Trust.

Our company aims at quality first and reputation first, and will provide the best service to customers.We sincerely welcome friends from all walks of life to visit us.



DUX006

LITHIUM LAWN MOWER



Multi-Function Tool

Multifunctional set offers great flexibility for keen gardeners with multi needs. Mowing lawn edges and fences, pruning trees and hedges, trimming brushes, no matter what the job is, this set takes care of them all.

Battery voltage: 21V
No-Load Speed: 6000rpm
Motor: Brushless Motor
Charging Time: 2-3hours



DUX007



Brushless

Battery voltage: 21V
Rated power: 800W
No-load speed: 5400rpm / 4000rpm
Blade length: About 300mm
Product Size: $\varnothing$ 25cm
Body weight: 1.8Kg

RUNTAI LITHIUM TOOLS

LITHIUM LAWN MOWER

DUX001




Battery voltage: 21V
Rated power: 630W
No-load speed: 10500r/min
Blade length: About 15cm
Product Size: 90~120cm
Charging time: About 2 hours



LITHIUM LAWN MOWER

DUX002



Brushless

Battery voltage: 21V
Rated power: 630W
No-load speed: 10200r/min
Blade length: About 15cm
Product Size: 90~120cm
Body weight: 1.8Kg



LITHIUM LAWN MOWER

DUX003



Battery voltage: 12V
Rated power: 630W
No-load speed: 9600r/min
Blade length: About 15cm
Product Size: 90~120cm
Body weight: 1.8Kg

LITHIUM LAWN MOWER

DUX004



Battery voltage: 21V
Rated power: 630W
No-load speed: 10500r/min
Blade length: About 15cm
Product Size: 90~120cm
Body weight: 1.8Kg

LITHIUM LAWN MOWER

DUX005



Battery voltage: 21V
Rated power: 630W
No-load speed: 10500r/min
Blade length: About 15cm
Product Size: 90~120cm
Body weight: 1.8Kg

RUNTAI LITHIUM TOOLS



LITHIUM HEDGE SHEARS

DUH009



Battery voltage: 21V
No-Load Speed: 1250rpm
Pruning length: 150mm
Cutting length: 5mm
Charging Time: 2~3hours



LITHIUM HEDGE SHEARS

DUH010



Battery voltage: 21V
No-Load Speed: 1350r/min
Pruning length: 150mm
Cutting length: 5mm
Charging Time: 2~3hours

LITHIUM HEDGE SHEARS

DUH011



Battery voltage: 21V
No-Load Speed: 1200rpm
Pruning length: 150mm
Cutting length: 5mm
Charging Time: 2~3hours

LITHIUM HEDGE SHEARS

DUH008



Battery voltage: 21V
No-Load Speed: 1350rpm
Pruning length: 150mm
Cutting length: 5mm
Charging Time: 2~3hours

RUNTAI LITHIUM TOOLS

LITHIUM HEDGE SHEARS

DUH001



Brushless

Battery voltage: 21V
No-Load Speed: 1450rpm
Blade length: 520mm
Cutting ability: 14mm
Charging Time: 2-3hours



LITHIUM HEDGE SHEARS

DUH002



Brushless

Battery voltage: 18V
No-Load Speed: 1450rpm
Blade length: 520mm
Cutting ability: 14mm
Charging Time: 2-3hours



LITHIUM HEDGE SHEARS

DUH003



Battery voltage: 21V
No-Load Speed: 1450rpm
Blade length: 450mm
Cutting ability: 14mm
Charging Time: 2-3hours



LITHIUM HEDGE SHEARS

DUH004



Battery voltage: 21V
No-Load Speed: 1450rpm
Blade length: 520mm
Cutting ability: 14mm
Charging Time: 2-3hours



RUNTAI LITHIUM TOOLS

LITHIUM HEDGE SHEARS

DUH005



Brushless

Battery voltage: 21V
No-Load Speed: 1350rpm
Blade length: 310mm
Cutting ability: 14mm
Charging Time: 2-3hours



LITHIUM HEDGE SHEARS

DUH007



Brushless Rotary handle

Battery voltage: 36V
No-Load Speed: 2200rpm
Blade length: 680mm
Cutting ability: 16mm
Charging Time: 3-4hours



LITHIUM HEDGE SHEARS

DUH006



Battery voltage: 21V
Working width: 14cm
No-load speed: 1450rpm
Blade length: 520cm
Charging Time: 2-3hours



RUNTAI LITHIUM TOOLS

LITHIUM BRANG PRUNER

CD602



Brushless

Battery voltage: 21V
Shear diameter: 30mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



LITHIUM BRANG PRUNER

CD603



Brushless

Battery voltage: 21V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



CD608



Brushless

Battery voltage: 16.8V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5

CD609



Brushless

Battery voltage: 16.8V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5

CD613



Brushless

Battery voltage: 21V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5

CD614



Brushless

Battery voltage: 21V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5

CD615



Brushless

Battery voltage: 21V
Shear diameter: 40mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5

CD616



Brushless

Battery voltage: 21V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5

RUNTAI LITHIUM TOOLS

LITHIUM BRANG PRUNER

CD610



Brushless

Battery voltage: 21V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



LITHIUM BRANG PRUNER

CD611



Brushless

Battery voltage: 21V
Shear diameter: 30mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



LITHIUM BRANG PRUNER

CD612



Brushless

Battery voltage: 21V
Shear diameter: 40mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



LITHIUM BRANG PRUNER

CD617



Brushless

Battery voltage: 21V
Shear diameter: 25mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



LITHIUM BRANG PRUNER

CD618



Brushless

Battery voltage: 21V
Shear diameter: 30mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



LITHIUM BRANG PRUNER

CD619



Brushless

Battery voltage: 21V
Shear diameter: 40mm
Charging time: 1-2hours
Battery type: 1500mah
Blade material: SK5



RUNTAI LITHIUM TOOLS



LITHIUM BLOWER

EB-001



Rated Voltage: 21V
Air Volume: 1.6~2.8m³/min
No-Load Speed: 0~18000rpm
Type: Turbo blower
Mterial: ABS



LITHIUM BLOWER

EB-003



Rated Voltage: 12V
Quota power : 175W
No-Load Speed : 0~14000rpm
Switch dangw : Infinitely variable speed



LITHIUM BLOWER

EB-004



Rated Voltage: 21V
Air Volume: 1.6~2.8m³/min
No-Load Speed: 0~12000rpm
Type: Turbo blower
Mterial: ABS



RUNTAI LITHIUM TOOLS



LITHIUM BLOWER

EB-005



Rated Voltage: 21V
Air Volume: 1.6~2.8m³/min
No-Load Speed: 0~18000rpm
Type: Turbo blower
Mterial: ABS



LITHIUM BLOWER

EB-007



Brushless

Rated Voltage: 21V
Air Volume: 1.6~2.8m³/min
No-Load Speed: 0~9800rpm
Type: Turbo blower
Mterial: ABS



LITHIUM BLOWER

EB-008



Brushless

Rated Voltage: 21V
Air Volume: 1.6~2.8m³/min
No-Load Speed: 0~18000rpm
Type: Turbo blower
Mterial: ABS



RUNTAI LITHIUM TOOLS

HIGH BRANCH SHEARS

DL-1013



Telescopic extension rod

Battery voltage: 21V
No-load speed: 3000r/min
Guide plate size: 6-8"
Cutting diameter: 125-150mm
Maximum power: 850W



LITHIUM CHAIN SAW

DL-06



Brushless

Battery voltage: 36V
No-load speed: 3600r/min
Guide plate size: 14-18"
Cutting diameter: 300mm
Maximum power: 2000W



LITHIUM CHAIN SAW

DL-01



Brushless

Battery voltage: 36V
No-load speed: 3600r/min
Guide plate size: 14-18"
Cutting diameter: 320mm
Maximum power: 2000W



RUNTAI LITHIUM TOOLS

LITHIUM CHAIN SAW

DL-09



Brushless

Battery voltage: 21V
No-load speed: 3300r/min
Guide plate size: 10"
Cutting diameter: 205mm
Maximum power: 850W



LITHIUM SINGLE HAND SAW

DL-02



Brushless

Battery voltage: 21V
No-load speed: 3500r/min
Guide plate size: 10"
Cutting diameter: 205mm
Maximum power: 900W



LITHIUM SINGLE HAND SAW

DL-04



Battery voltage: 21V
No-load speed: 2703r/min
Guide plate size: 6-12"
Cutting diameter: 125mm
Maximum power: 850W



LITHIUM SINGLE HAND SAW

DL-05



Brushless

Battery voltage: 21V
No-load speed: 3500r/min
Guide plate size: 6-12"
Cutting diameter: 205mm
Maximum power: 850W



LITHIUM SINGLE HAND SAW

DL-03



Battery voltage: 21V
No-load speed: 2703r/min
Guide plate size: 6-12"
Cutting diameter: 125mm
Maximum power: 850W



LITHIUM SINGLE HAND SAW

DL-07



Brushless

Battery voltage: 21V
No-load speed: 2750r/min
Guide plate size: 6-8"
Cutting diameter: 125-150mm
Maximum power: 850W



RUNTAI LITHIUM TOOLS

LITHIUM SINGLE HAND SAW

DL-08



Battery voltage: 12V
No-load speed: 3000r/min
Guide plate size: 4"
Cutting diameter: 100mm
Maximum power: 500W

LITHIUM SINGLE HAND SAW

DL-1011



Battery voltage: 21V
No-load speed: 2750r/min
Guide plate size: 6"
Cutting diameter: 125-150mm
Maximum power: 600w

LITHIUM SINGLE HAND SAW

DL-12



Battery voltage: 21V
No-load speed: 2750r/min
Guide plate size: 6"
Cutting diameter: 125-150mm
Maximum power: 600w

LITHIUM SINGLE HAND SAW

DL-15



Brushless

Battery voltage: 21V
No-load speed: 2840r/min
Guide plate size: 6"
Cutting diameter: 125-150mm
Maximum power: 600w

LITHIUM SINGLE HAND SAW

DL-13



Brushless

Battery voltage: 21V
No-load speed: 2750r/min
Guide plate size: 6"
Cutting diameter: 125-150mm
Maximum power: 1050w

LITHIUM SINGLE HAND SAW

DL-14



Brushless

Battery voltage: 21V
No-load speed: 2750r/min
Guide plate size: 8"
Cutting diameter: 150-200mm
Maximum power: 1050w

RUNTAI LITHIUM TOOLS

LITHIUM CIRCULAR SAW

DHS02



Brushless

Battery voltage: 21V
Bevel angle: 0-45°
Sawing depth: 35mm
Saw blade diameter: 125mm
No-load speed: 0-6500r/min



LITHIUM CIRCULAR SAW

DHS03



Brushless

Battery voltage: 21V
Bevel angle: 0-45°
Sawing depth: 40mm
Saw blade diameter: 185mm
No-load speed: 0-5000r/min



LITHIUM CIRCULAR SAW

DHS04



Brushless

Battery voltage: 21V
Bevel angle: 0-45°
Sawing depth: 40mm
Saw blade diameter: 110mm
No-load speed: 0-5800r/min



LITHIUM CIRCULAR SAW

DHS05



Brushless

Battery voltage: 21V
Bevel angle: 0-45°
Sawing depth: 40mm
Saw blade diameter: 110mm
No-load speed: 0-5800r/min



RUNTAI LITHIUM TOOLS

LITHIUM ELECTRIC NAIL GUN

DHN01



Brushless

Battery voltage: 21V
Clip: 100pcs Tube: 8mm
Applicable nails: straight nails within 30mm
Pressure: 0.4~0.8MPa
Charging Time: 2~3hours



LITHIUM ELECTRIC PLANE

DHS301



Brushless

Battery voltage: 21V
Rated power: 450W No-load speed: 0~3500r/min
Blade length: About 15cm
Product Size: 90~120cm
Body weight: 1.5Kg



LITHIUM CURVE SAW

DHC01



Brushless

Battery voltage: 21V
Max cutting capacity: Wood: 65mm / Steel: 5mm
No Load Speed: 0~2500r/min
Stork length: 22mm
Bevel Cutting: -45° to 45°



LITHIUM TRIMMING MACHINE

DHT01



Brushless

Battery voltage: 21V Rated power: 400W
No-load speed: 9000~20000r/min
Chuck size: 6~8mm
Cutting depth: 0~6.5mm
Max cutting dia: 635mm



LITHIUM SANDING MACHINE

CDM501



Brushless

Battery Voltage: 21V
Rated power: 800W
No-load speed: 6000~10750r/min
Diameter : 125mm

LITHIUM POLISHER

CD802



Brushless

Battery Voltage: 21V
No-Load Speed: 3000~6000r/min
Eccentric shaft: 15mm
The pallet size: 5 inches(125mm)
Sponge disc size: 5 inches(125mm)

LITHIUM POLISHER

CD803



Brushless

Battery Voltage: 12V
No-Load Speed: 1800~4500r/min
Eccentric shaft: 15mm
The pallet size: 5 inches(125mm)
Sponge disc size: 5 inches(125mm)

RUNTAI LITHIUM TOOLS

LITHIUM DRILL

CD505



Brushless

Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

CD509



Brushless

Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 6~23N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



LITHIUM DRILL

CD512



Brushless

Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~35N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



RUNTAI LITHIUM TOOLS

LITHIUM DRILL

CD502



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

CD503



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1~2hours



LITHIUM DRILL

CD504



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

CD510



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 550~1700rpm
Max Torque: 7~28N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



RUNTAI LITHIUM TOOLS

LITHIUM DRILL

CD1014



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~20N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

CD1015



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 400~1450rpm
Max Torque: 5.5~30N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

CD1016



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

CD1025



Battery voltage: 10.8V/14.4V/21V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours





LITHIUM DRILL

CD1306



Brushless

Battery voltage: 21V
Maximum torque: 50N.m
No-load speed: 0-1550r/min
Charging time: 3-4hours



LITHIUM DRILL

CD1307



Brushless

Battery voltage: 21V
Maximum torque: 80N.m
No-load speed: 0-1750r/min
Charging time: 3-4hours



RUNTAI LITHIUM TOOLS

LITHIUM DRILL

CD1303



Brushless

Battery voltage: 21V
Maximum torque: 50-70N.m
No-load speed: 450-1550rpm
Charging time: 2-3hours



LITHIUM DRILL

CD1305



Brushless

Battery voltage: 21V
Maximum torque: 80N.m
No-load speed: 0-1750r/min
Charging time: 3-4hours



CD1308



Brushless

Battery voltage: 21V
Maximum torque: 50N.m
No-load speed: 0-1450r/min
Charging time: 3-4hours

CD1309



Brushless

Battery voltage: 21V
Maximum torque: 80N.m
No-load speed: 0-1750r/min
Charging time: 3-4hours

CD1310



Brushless

Battery voltage: 21V
Maximum torque: 80N.m
No-load speed: 0-1750r/min
Charging time: 3-4hours

RUNTAI LITHIUM TOOLS

LITHIUM DRILL

HD512



Brushless

Battery voltage: 10.8V/16.8V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~35N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

HD508



Battery voltage: 10.8V/16.8V
No-Load Speed: 500~1300rpm
Max Torque: 6~24N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



LITHIUM DRILL

HD506



Battery voltage: 10.8V/16.8V
No-Load Speed: 550~1700rpm
Max Torque: 7~28N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



LITHIUM DRILL

HD507



Battery voltage: 10.8V/16.8V
No-Load Speed: 550~1800rpm
Max Torque: 7~28N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



RUNTAI LITHIUM TOOLS

HD1016



Battery voltage: 10.8V/16.8V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours

HD1009



Battery voltage: 10.8V/16.8V
No-Load Speed: 450~1200rpm
Max Torque: 6.5~32N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours

HD509



Brushless

Battery voltage: 12V/16.8V
Motor: Brushless Motor
No-Load Speed: 350~1350rpm
Max Torque: 5.5~35N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours

HD1014



Battery voltage: 12V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~20N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours

HD1024



Battery voltage: 12V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~20N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours

HD1021



Battery voltage: 12V
No-Load Speed: 450~1600rpm
Max Torque: 8.5~35N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours

RUNTAI LITHIUM TOOLS



LITHIUM DRILL

HD502-2



Brushless

Battery voltage: 16.8V
No-Load Speed: 350~1350rpm
Max Torque: 5.5~27N.m
Chuck Size: 0.8~10mm
Charging Time: 1.5~2hours



LITHIUM DRILL

HD515



Brushless

Battery voltage: 16.8V
No-Load Speed: 550~1600rpm
Max Torque: 6~35N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



LITHIUM DRILL

HD1017



Brushless

Battery voltage: 16.8V
No-Load Speed: 550~1600rpm
Max Torque: 6~40N.m
Chuck Size: 0.8~10mm
Charging Time: 2~3hours



RUNTAI LITHIUM TOOLS

LITHIUM SCREWDRIVER

HD002



Battery voltage: 16.8V
Impact frequency: 0~3800rpm
No-load speed: 0~1550rpm
Maximum torque: 45N.m
Charging time: 2~3hours



LITHIUM SCREWDRIVER

HD003



Battery voltage: 12V
Impact frequency: 0~3800rpm
No-load speed: 0~1500rpm
Maximum torque: 45N.m
Charging time: 2~3hours



LITHIUM SCREWDRIVER

HD004



Brushless

Battery voltage: 21V
Impact frequency: 0~4500rpm
No-load speed: 0~1400rpm
Maximum torque: 180N.m
Charging time: 2~3hours



LITHIUM SCREWDRIVER

HD005



Brushless

Battery voltage: 21V
Impact frequency: 0~4000rpm
No-load speed: 0~1800rpm
Maximum torque: 150N.m
Charging time: 2~3hours



RUNTAI LITHIUM TOOLS



LITHIUM SPANNER

CD2012

Brushless

1000N.m



Battery voltage: 21V
No-Load Speed: 0~1450rpm / 0~1850rpm
Max Torque: 1000N.m
Maximum sleeve: 42mm



LITHIUM SPANNER

CD2014

Brushless

700N.m



Battery voltage: 21V
No-Load Speed: 0~2250rpm / 0~2650rpm
Max Torque: 700N.m
Maximum sleeve: 42mm



RUNTAI LITHIUM TOOLS

CD2007

Brushless



Battery voltage: 21V
No-Load Speed: 0~2450rpm / 0~1350rpm
Max Torque: 300N.m
Charging Time: 2~3hours

CD2008

Brushless



Battery voltage: 21V
No-Load Speed: 0~2450rpm / 0~1350rpm
Max Torque: 300N.m
Charging Time: 2~3hours

CD2010D

Brushless



Battery voltage: 21V
No-Load Speed: 0~2450rpm / 0~1350rpm
Max Torque: 340N.m
Charging Time: 2~3hours

CD2011

Brushless



Battery voltage: 21V
No-Load Speed: 0~2750rpm / 0~2200rpm
Max Torque: 500N.m
Charging Time: 2~3hours

CD2013

Brushless



Battery voltage: 21V
No-Load Speed: 0~2450rpm / 0~1350rpm
Max Torque: 300N.m
Charging Time: 2~3hours

CD2015

Brushless



Battery voltage: 21V
No-Load Speed: 0~2750rpm / 0~2200rpm
Max Torque: 550N.m
Charging Time: 2~3hours

MULTIPURPOSE TREASURE

MT-001

Brushless

Battery voltage: 21V
Protected current: 35A (1.35)
No-load speed: 13500/20000/24000/min

SHOVEL HEAD

MT-006

vibrating frequency:
0-21000gpm
swing angle: 3°

WASHING HEAD

MT-011

Flow: 2.4L/min
Rated pressure: 1.8/3.0MPa
With 1pc of M18 spray head,
1connect, 1pc of 5meter pipe

LAWN MOWER

DYB-2115J

No-load speed: 1200 (r/min)
Mowing width: 80mm

AIR PUMP

DYB-2116

Pressure upper limit: 0.8/9BAR (0-7kg/cm²)
No-load speed: 0-3300r/min
Piston size: 25mm
Standard 10kg pressure-resistant air pipe

ELECTRIC CIRCULAR SAW/ CUTTING RAILING

DYB-2118

Maximum saw blade size 115mm
Saw blade inner hole diameter 20mm
No-load speed: 0-6300r/min
Maximum cutting depth (90° cutting 35mm)
(45° cutting 35mm)

IMPACT DRILL HEAD

MT-002

Chuck size: 10mm
Max torque: 35N.m
No-load speed: 0-400/1450/min
Impact rate: 0-2100gpm

RECIPROCATING SAW HEAD

MT-007

Chuck size: 15mm
Reciprocate speed: 0-3300/min

BLOWER HEAD

MT-012

No-load speed: 0-24000/min
Blowing volume: 2.9m³/min

HEDGE TRIMMER & LAWN MOWER BLADE

DYB-2116L+

No-load speed: 1200 (r/min)
Pruning length: 160mm

TRIMMER

DYB-2117

Card size 6mm
No-load speed 11000r/min

ELECTRIC SCISSORS

DYB-2119

Maximum torque 80N.m
No-load speed: 0-2000/min
Cutting thickness: 1.5mm

DRILL HEAD

MT-003

Chuck size: 10mm
Max torque: 32N.m
No-load speed: 0-400/1450/min

CHAIN SAW HEAD

MT-008

Plate size: 4"
No-load speed: 4000/min
Chain speed: 7m/s

100 ANGLE GRINDER/ GRINDER

DYB-2113/100

Cutting disc diameter: 100mm
Cutting disc inner diameter: 16mm
No-load speed: 8000 (r/min)

JIG SAW HEAD

MT-004

Chuck size: 12mm
Reciprocate speed: 0-3300/min

WRENCH HEAD

MT-009

Chuck size: 1/4(6.35mm)×1/2(12.7mm)
Max torque: 200N.m
No-load speed: 0-3300/min
Impact rate: 0-3600gpm

125 ANGLE GRINDER/ GRINDER

DYB-2113/125

Cutting disc diameter: 125mm
Cutting disc inner diameter: 22mm
No-load speed: 8000 (r/min)

SANDER HEAD

MT-005

No-load speed: 0-10000/min
plate size: 94X135mm

SCOURING PUFFER HEAD

MT-010

Chuck size: 1/4 (6.35mm)
Max torque: 180N.m
No-load speed: 0-3300/min
Impact rate: 0-3600gpm

ELECTRIC HAMMER

DYB-2114

No-load speed: 0-2000 (r/min)
Impact frequency: 0-5500gpm
Impact energy: 1.7J
Chuck method: SDS
Optimal drilling: 6-12mm

RUNTAI LITHIUM TOOLS



LITHIUM ANGLE GRINDER

CD100-3



Brushless

Battery Voltage: 21V
Rated In-put Power: 1200W
No-Load Speed: 8700rpm
Diameter of wheel: 100-125mm
Charging Time: 2-3hours



LITHIUM ANGLE GRINDER

CD100-4



Brushless

Battery Voltage: 21V
Rated In-put Power: 1200W
No-Load Speed: 8500rpm
Diameter of wheel: 100-125mm
Charging Time: 2-3hours



LITHIUM ANGLE GRINDER

CD100-6



Brushless

Battery Voltage: 21V
Rated In-put Power: 800W
No-Load Speed: 7000rpm
Diameter of wheel: 100-125mm
Charging Time: 2-3hours

LITHIUM ANGLE GRINDER

CD100-7



Brushless

Battery Voltage: 21V
Rated In-put Power: 1050W
No-Load Speed: 7000rpm
Diameter of wheel: 100-125mm
Charging Time: 2-3hours

LITHIUM ANGLE GRINDER

CD100-8



Battery Voltage: 12V
Rated In-put Power: 650W
No-Load Speed: 12500rpm
Diameter of wheel: 100-125mm
Charging Time: 2-3hours

RUNTAI LITHIUM TOOLS



LITHIUM
SPRAY GUN

PQ-01



Battery voltage: 21V
Rated power: 150W
Maximum flow: 260ml/min
Container volume: 1000ml
Pot body material: plastics



LITHIUM
SPRAY GUN

PQ-02



Rated voltage: 220V
Rated power: 150W
Maximum flow: 280ml/min
Container volume: 1000ml
Pot body material: plastics



LITHIUM
LEVEL PAVER

PP-01



Battery voltage: 16.8V
Vibration adjustment: 6 gears
Vibration frequency: 1000-12000r/min
Adsorption capacity: 160Kg
Applicable tiles: Within 148mm



LITHIUM
LEVEL PAVER

PP-02



Battery voltage: 21V
Vibration adjustment: 6 gears
Vibration frequency: 1000-12000r/min
Adsorption capacity: 120Kg
Applicable tiles: Within 130mm



RUNTAI LITHIUM TOOLS

LITHIUM
HAMMER

CD26-1



Brushless

Battery voltage: 21V
Drilling diameter: 26mm
No-load speed: 670rpm
Impact frequency: 4000rpm
Charging time: 2-3hours

LITHIUM
HAMMER

CD26-2



Brushless

Battery voltage: 21V
Drilling diameter: 26mm
No-load speed: 950r/min
Impact frequency: 0-4500rpm
Charging time: 2-3hours

LITHIUM
HAMMER

CD26-3



Brushless

Battery voltage: 21V
Drilling diameter: 26mm
No-load speed: 950r/min
Impact frequency: 0-4500rpm
Charging time: 2-3hours

CD26-4



Brushless

Battery voltage: 21V
Drilling diameter: 26mm
No-load speed: 950r/min
Impact frequency: 0-4500rpm
Charging time: 2-3hours

CD26-5



Brushless

Battery voltage: 21V
Drilling diameter: 26mm
No-load speed: 950r/min
Impact frequency: 0-4500rpm
Charging time: 2-3hours

CD26-6



Brushless

Battery voltage: 21V
Drilling diameter: 26mm
No-load speed: 950r/min
Impact frequency: 0-4800rpm
Charging time: 2-3hours

RUNTAI LITHIUM TOOLS



CAR WASH GUN

HW001



Battery voltage: 21V
Rated pressure: H gear 1.2mpa / L gear 0.65mpa
Rated flow rate: 200L/h
Charging Time: 2~3hours



CAR WASH GUN

HW002



Battery voltage: 21V
Rated pressure: H gear 2mpa / L gear 0.65mpa
Rated flow rate: 210L/h
Charging Time: 2~3hours



CAR WASH GUN

HW004



Brushless

Battery voltage: 21V
Rated pressure: H gear 3mpa / L gear 0.65mpa
Rated flow rate: 300L/h
Charging Time: 2~3hours



RUNTAI LITHIUM TOOLS

LITHIUM HOT AIR GUN

HG-01



Battery voltage: 21V
Input Power: 2000W
Temperature: I: 350°C II: 600°C
Air Output: I: 300L/min
II: 500L/min



LITHIUM HOT AIR GUN

HG-02



Battery voltage: 21V
Input Power: 2000W
Temperature: I: 350°C II: 600°C
Air Output: I: 300L/min
II: 500L/min



LITHIUM CUTTING SCISSORS

C3901



Dc voltage: 3.6V
Battery type: 2000mha
No-load speed: 10000rpm

LITHIUM SOLDERING IRON

SI-001



Battery voltage: 4V
Maximum temperature: 400°C
Heating time: 45s
Product Weight : 80gram

LITHIUM MINI GRINDER SET

MGS-001



Battery voltage: 12V
Motor/Input power: 150W
No-load speed: 3000~12000rpm
Clamp diameter: Ø3.2

LITHIUM RATCHET WRENCH

HD801



Battery voltage: 12V
Maximum torque: 35N.m
No-load speed: 0~550rpm
Charging time: 1~2hours

LITHIUM RATCHET WRENCH

HD802



Battery voltage: 16.8V
Maximum torque: 40N.m
No-load speed: 0~550rpm
Charging time: 2~3hours

LITHIUM RATCHET WRENCH

HD803



Battery voltage: 25V
Maximum torque: 40N.m
No-load speed: 0~550rpm
Charging time: 3~4hours

RUNTAI LITHIUM TOOLS



RECIPROCATING SAW



Brushless

RS-503

Rated Voltage: 21V
Idle speed: 0-3000rpm
Maximum travel of saw iron: 250mm
Diameter of saw wood: 250mm



LITHIUM SABER SAW

RS-500



Brushless

Rated Voltage: 21V
No-Load speed: 0-3000rpm
Reciprocating stroke: 15mm
Charging Time: 2-3hours
Speed Mode: Stepless speed change
Max cutting thickness: 150mm(wood)
6mm(mental) 40mm(plastic)

LITHIUM SABER SAW

RS-501



Rated Voltage: 21V
No-Load speed: 0-3000rpm
Reciprocating stroke: 15mm
Charging Time: 2-3hours
Speed Mode: Stepless speed change
Max cutting thickness: 150mm(wood)
6mm(mental) 40mm(plastic)

LITHIUM SABER SAW

RS-502



Rated Voltage: 21V
No-Load speed: 0-3200rpm
Reciprocating stroke: 15mm
Charging Time: 2-3hours
Speed Mode: Stepless speed change
Max cutting thickness: 150mm(wood)
6mm(mental) 40mm(plastic)

RUNTAI LITHIUM TOOLS



T01



T02



T03



T04