

销售热线: 0512-36851575

服务热线: **400-820-4599**

上海威茨堡电梯有限公司

WELLS ELEVATOR PRODUCTS CO.,LTD.

公司地址: 上海市莘砖公路668号双子楼A栋

Office Add: Building A, Xinzhuang Road, NO. 668 Shanghai, China

中国生产基地: 昆山市千灯镇景唐南路221号

Factory Add: NO.221 South Jingtang Road, Qiandeng Town, Kunshan, China

德国总部: Schlierbachstrasse 32, Ellwangen D-73479, Germany

电话(Tel): 021-59227624

传真(Fax): 021-54221269

邮箱(E-mail): sales@wellslift.com

www.wells-elevator.com



本书为一般信息提供, 我们保留随时更改产品设计和规格的权利。
本书的任何文字, 无论其字面意思或含义, 对于任何产品及其产品的用途和质量, 或者任何构成合同条款的表述与更改均不承担任何责任。

上海威茨堡电梯有限公司 2020年09月印刷

立足德国科技, 铸就精品威茨堡

Base On German Technology
Make Competitive Products



MACHINE ROOMLESS PASSENGER ELEVATOR

无机房乘客电梯

ST/A 电梯/梯 0073-481-10000 13611315378

上海威茨堡电梯有限公司
WELLS ELEVATOR PRODUCTS CO.,LTD.

Company profile

公司简介



上海威茨堡电梯有限公司成立于2005年，与德国WURZBURG电梯公司合作建立了集电（扶）梯产品开发、设计、生产、销售与服务为一体的专业整机生产企业。为现代化城市建筑提供节能型住宅电梯、高端商用梯、时尚别墅电梯、商用或工业用载货电梯以及扶梯等垂直运载设备。

威茨堡电梯依托德国的先进技术和管理经验，始终保持与国际先进技术发展水平的同步。所生产制造的电梯产品不仅符合中国电梯安全标准，并符合欧洲质量标准与安全标准；在引进和吸收德国先进的电梯设计理念和工艺基础上，公司建立了一套比较完善的设计与研发规范，使电梯结构设计稳定、运行平稳、安全可靠、占用空间少；在核心技术方面获得了多项专利。公司的六个梯种，共二十多个规格的产品获得德国TUV机构的CE产品安全质量认证；公司全面质量管理获得了ISO9001质量体系认证，ISO14001环境管理体系认证，OHSAS18001职业健康安全管理体系认证。产品已在英国、德国、澳大利亚、新加坡、马来西亚、印度尼西亚、中东、南美和南非等海外四十多个国家和地区安装和使用，并获得广泛好评。

WELLS Elevator Products Co., Ltd. was found in 2005, cooperated with WURZBURG Aufzuege GmbH, combines R&D, manufacturing, sales and services in one of the advanced manufacturing enterprises. For modern city building, WELLS provides energy saving residential elevators, high-end commercial elevator, stylish home lift and other vertical transport equipment.

Based on advanced technology and management experience from Germany, WELLS Elevator always keep pace with the development of international advanced technology. The elevators manufactured by WELLS are in line with Chinese and European elevator safety & quality standards. In addition, by the introduction of advanced German elevator design concepts and manufacture processes, WELLS developed a complete R&D and design criterion, helping the elevator structural design be more stable and reliable with lesser room occupation.

WELLS Elevator has obtained a numerous patents for its core technology. A total of more than 20 models among the six elevator product types have CE Certificate approved & issued by TÜV Germany, and company's management system acquired ISO9001 quality system certification, ISO14001 environmental management system certification, OHSAS18001 occupational health and safety management system certification issued by CAS. Up to now, WELLS Products have been exported to more than 40 countries such as the UK, Germany, Australia, Singapore, Malaysia, Indonesia, the Middle East, South America, South Africa, etc., and received wide praise.




Machine roomless passenger elevator 无机房乘客电梯

释放空间，高效节能

威茨堡无机房乘客电梯取消了机房，减少了电梯设备的总面积，将有效空间加以灵活运用，从而使建筑的外观更加美观，更富现代感。采用井道顶部安装主机、控制装置设计，从而防止突发性井道进水对驱动装置造成的损害，保证了整个系统的高可靠性。

Space-releasing, effective energy-saving

WELLS machine room-less passenger elevator cancels machine room. It reduces total elevator area. It flexibly utilizes the efficient space. It brings about the more charming and contemporary building outline. The machine is installed at top level in the shaft. So it can prevent water inlet from damaging the drive device. It also ensures high reliability of the whole system.



Compact
节约建筑成本

Freedom
建筑设计自由

100%
建筑空间利用率

Standard car decoration 标配轿厢装潢

立足德国科技，铸就精品威茨堡

Base On German Technology
Make Competitive Products



吊顶 (可选) Ceiling (optional)



WLC01-A 不加价 No price increase

吊顶: 发纹不锈钢框架, 亚克力灯饰, 筒灯
Ceiling: Hairline stainless steel frame, acrylic lighting decoration, down light



WLC01-B 不加价 No price increase

吊顶: 发纹不锈钢框架, 亚克力灯饰, 筒灯
Ceiling: Hairline stainless steel frame, acrylic lighting decoration, down light



WLC01-C 不加价 No price increase

吊顶: 发纹不锈钢框架, 亚克力灯饰, 筒灯
Ceiling: Hairline stainless steel frame, acrylic lighting decoration, down light

吊顶: 发纹不锈钢, 亚克力灯饰, 筒灯
轿壁: 发纹不锈钢, 镜面不锈钢
扶手: 无
地板: PVC

Ceiling: Hairline stainless steel, acrylic light decoration, down light
Car wall: Hairline stainless steel, mirror stainless steel
Handrail: None
Floor: PVC

Optional car decoration 选配轿厢装潢

立足德国科技，铸就精品威茨堡

Base On German Technology
Make Competitive Products



C027 选配 Optional

吊顶：镜面不锈钢，亚克力透光板，LED灯
轿壁：发纹不锈钢，发纹蚀刻不锈钢
扶手：发纹不锈钢圆扶手
地板：PVC
Ceiling: Mirror stainless steel top, acrylic light decoration, LED down lights
Car wall: Hairline stainless steel, hairline etched stainless steel
Handrail: Round hairline stainless steel handrail
Floor: PVC



C028 选配 Optional

吊顶：镜面不锈钢边框，亚克力灯饰，彩绘板
轿壁：磨砂不锈钢，镜面不锈钢
扶手：发纹不锈钢扁扶手
地板：PVC
Ceiling: Mirror stainless steel frame, acrylic lighting, painted board
Car wall: Sandblasted stainless steel, mirror stainless steel
Handrail: Flat hairline stainless steel handrail
Floor: PVC



C031 选配 Optional

吊顶：发纹不锈钢，亚克力灯饰，LED筒灯
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：发纹不锈钢扁扶手
地板：PVC
Ceiling: Hairline stainless steel, acrylic light decoration, LED down lights
Car wall: Hairline stainless steel, mirror etched stainless steel
Handrail: Hairline stainless steel flat handrail
Floor: PVC



C032 选配 Optional

吊顶：黑钛发纹不锈钢，亚克力灯饰，LED筒灯
轿壁：黑钛镜面蚀刻不锈钢，黑钛发纹不锈钢
扶手：无
地板：PVC
Ceiling: Ti-black hairline st.st., acrylic decoration, LED down lights
Car wall: Ti-black mirror etching st. st., Ti-black hairline st. st.
Handrail: None
Floor: PVC



C029 选配 Optional

吊顶：镜面不锈钢，亚克力灯饰
轿壁：发纹不锈钢，镜面蚀刻不锈钢
扶手：发纹不锈钢扁扶手
地板：PVC
Ceiling: Mirror stainless steel, acrylic lighting
Car wall: Hairline stainless steel, mirror etched stainless steel
Handrail: Flat hairline stainless steel handrail
Floor: PVC



C030 选配 Optional

吊顶：镜面不锈钢，LED筒灯
轿壁：镜面蚀刻不锈钢，发纹不锈钢
扶手：无
地板：PVC
Ceiling: Mirror stainless steel, LED downlight
Car wall: Mirror etching stainless steel, hairline stainless steel
Handrail: None
Floor: PVC



C033 选配 Optional

吊顶：镜面不锈钢与筒灯
轿壁：黑钛发纹不锈钢，镜面不锈钢
扶手：发纹不锈钢圆扶手
地板：PVC
Ceiling: Mirror stainless steel, LED down lights
Car wall: Ti-black hairline stainless steel, mirror stainless steel
Handrail: Hairline st.st. round handrail
Floor: PVC



C034 选配 Optional

吊顶：发纹不锈钢，亚克力透光板
轿壁：镜面不锈钢，黑钛发纹，磨砂不锈钢
扶手：单管圆扶手
地板：PVC
Ceiling: Hairline stainless steel, acrylic light decoration
Car wall: Mirror stainless steel, Ti-black, frosted stainless steel
Handrail: Single pipe round handrail
Floor: PVC

Optional car decoration 选配轿厢装潢



C035 选配 Optional

吊顶：钛金镜面不锈钢外框，亚克力灯饰，LED筒灯
轿壁：钛金镜面蚀刻不锈钢，钛金发纹不锈钢
扶手：钛金发纹不锈钢扁扶手
地板：PVC
Ceiling: Ti-gold mirror st.st. frame, acrylic light decoration, LED down lights
Car wall: Ti-gold mirror etched st.st., Ti-gold hairline st.st.
Handrail: Ti-gold hairline st.st. flat handrail
Floor: PVC



C036 选配 Optional

吊顶：钛金发纹不锈钢，亚克力灯饰，LED筒灯
轿壁：钛金镜面蚀刻不锈钢，钛金发纹不锈钢
扶手：无
地板：PVC
Ceiling: Titanium hairline stainless steel, acrylic light decoration, LED down lights
Car wall: Titanium gold mirror etching stainless steel, titanium hairline stainless steel
Handrail: None
Floor: PVC



C037 选配 Optional

吊顶：镜面不锈钢，亚克力灯饰
轿壁：镜面不锈钢，化妆钢板
扶手：单管圆扶手
地板：PVC
Ceiling: Mirror stainless steel, acrylic light decoration
Car wall: Mirror stainless steel, laminated steel plate
Handrail: Single pipe round handrail
Floor: PVC



C038 选配 Optional

吊顶：镜面不锈钢，亚克力灯饰，LED筒灯
轿壁：钛黑镜面不锈钢，木饰面
扶手：无
地板：PVC
Ceiling: Mirror stainless steel, acrylic light decoration, LED down lights
Car wall: Ti black mirror st.st., wood veneer
Handrail: None
Floor: PVC

Observation car decoration 观光电梯轿厢装潢

立足德国科技，铸就精品威茨堡

Base On German Technology
Make Competitive Products



CG05 选配 Optional

上下罩：钢板烤漆，亚克力灯罩
观光壁：安全夹胶玻璃
装饰顶：发纹不锈钢，中间白色顶灯，筒灯
轿壁：发纹不锈钢
扶手：不锈钢圆管
轿底：PVC

Car cover: Painted steel, acrylic cover
Observation wall: Laminated safety glass
Decoration ceiling: Hairline stainless steel, middle white ceiling lamp, downlight
Car wall: Hairline stainless steel
Handrail: Stainless steel round tube
Floor: PVC



CG03 选配 Optional

上下罩：发纹不锈钢
观光壁：安全夹胶玻璃
装饰顶：镜面不锈钢，亚克力，筒灯
轿壁：发纹不锈钢
扶手：不锈钢圆管
地板：PVC

Car cover: Hairline stainless steel
Observation wall: Laminated safety glass
Decoration ceiling: Mirror st.st., acrylic light, downlight
Car wall: Hairline stainless steel
Handrail: Stainless steel round tube
Floor: PVC



CG06 选配 Optional

上下罩：发纹不锈钢
观光壁：安全夹胶玻璃
装饰顶：发纹不锈钢边框，亚克力透光板，LED灯管
轿壁：发纹不锈钢
扶手：不锈钢扶手
轿底：PVC

Car cover: Hairline st.st.
Observation wall: Laminated safety glass
Decoration ceiling: Hairline stainless steel frame, acrylic light decoration, LED lamp
Car wall: Hairline stainless steel
Handrail: Stainless steel
Floor: PVC

Roomless passenger elevator function

无机房乘客电梯功能



控制功能 Control function		信息功能 Information function		安全功能 Safety function		乘客舒适功能 Comfortable function	
变频驱动 VVVF drive	S	全集选控制 Full collective selective control	S	光幕保护 Light curtain	S	应急照明 Emergency car lighting	S
门机变频驱动 VVVF drive for door operator	S	满载直驶 Full-load bypass	S	超载停梯 Overload holding stop	S	轿厢风扇、照明自动关闭 Automatically power-off for car lighting and fan	S
井道楼层距离自学习 Self-learning of shaft and floor distance	S	故障自诊断 Self diagnosis of fault	S	防捣乱 Anti-nuisance	S	电梯门重复关闭 Repeated door closing	S
上电再平层 Power on re-leveling	S	五方通话装置 Five-way communication	S	防曳引绳打滑保护 Traction rope sliding-resistant	S	延时关门时间自由设定 Automatically control for door-closing time	S
轿内及层站微动指令按钮 Micro-touch button for car	S	轿厢警铃 Car alarm	S	启动保护控制 start protection control	S	本层重开门 Reopen with hall call	S
轿厢到站钟 Car arrival chime	S	轿内楼层、方向指示 Floor and direction indicator in the car	S	检修操作 Inspection operation	S	即时关门 Express door closing	S
智能IC卡服务 Intelligent IC card service	O	层站楼层、方向指示 Floor and direction indicator at hall	S	安全停层 Safely stop	S	停梯开门 Car stop and door open	S
提前开门 Pre-door-opening	O	语音报站 Voice announcement	O	端站强迫减速保护 Terminal forced deceleration protection	S		
轿厢副操纵箱 The second car operation panel	O	轿厢LCD显示 Car LCD display	O	上下限位及上下极限保护 Up/down limit and terminal protection	S		
远程监控 Remote monitoring and control	O	交通流量管理（用于群控梯） Traffic flow management (for group control elevator)	O	超速保护装置 Over speed protection device	S		
特定楼层优先服务 Special floor priority service	O	分散待机 Decentralized standby	O	上行超速保护 Up over speed protection	S		
特定楼层不停车 Non-stop for special floor	O			停电应急平层装置 Emergency leveling device at power-off	O		
并联控制 Duplex control	O			火灾紧急返回运行 Fire emergency return	S		
群控功能 Group control	O			消防员运行 Fireman running	O		
上下班高峰服务（用于群控梯） Rush hour service(for group control elevator)	O			能量回馈 Energy feedback	O		
午餐时间服务（用于群控梯） Lunch time service(for group control elevator)	O						
贵宾服务（用于群控梯） VIP service(for group control elevator)	O						
不间断服务（用于群控梯） Uninterrupted service(for group control elevator)	O						
自动楼层支援（用于群控梯） Automatic floor support(for group control elevator)	O						

S-标配 Standard

O-可选 需加价 Optional(with extra cost)

注：功能列表以威茨堡技术文件为准，详情请咨询威茨堡电梯当地销售代表。
Remark: Please refer to WELLS technical documents and contact our WELLS sales person for details.

Human machine interface

人机界面



WFC1245
(标配 Standard)

显示屏可选 Optional display



WCC001 (选配 Optional) WCC002 (选配 Optional) WCC003 (选配 Optional)

按钮可选 Optional button



WLB001 (选配 Optional) WLB002 (选配 Optional)



WLB003 (选配 Optional) WLB004 (选配 Optional)



WFL1245
(标配 Standard)



WFC1215
(标配 Standard)

外呼可选 Optional Outbound



WLH2202 (选配 Optional) WLH2205 (选配 Optional)



WLH2203 (选配 Optional) WLH2204 (选配 Optional)



WFL1215
(标配 Standard)



WFC3206
(选配 Optional)



WFL3206
(选配 Optional)



WFC3203
(选配 Optional)



WFL3203
(选配 Optional)

Landing door series 厅门系列



WLD16 选配 Optional
古铜发纹蚀刻不锈钢
Bronze hairline etched st.st.



WLD11 选配 Optional
发纹蚀刻不锈钢，凹部金色
Hairline etched st.st., concave gold



WLD12 选配 Optional
发纹，蚀刻，钛金
Hairline, etching, Titanium gold



WLD15 选配 Optional
镜面蚀刻（钛金、黑钛或玫瑰金）不锈钢
Mirror etched (titanium, black-Ti, rose golden) stainless steel



WLD13 选配 Optional
镜面蚀刻（钛金、黑钛或玫瑰金）不锈钢
Mirror etched (titanium, black-Ti, rose golden) stainless steel



WLD04 选配 Optional
钛金蚀刻不锈钢
Titanium gold etched st.st.

Floor series 地板系列




WLF1018



WLF1013



WLF1030



WLF1031



WLF729



WLF727

Ceiling series 吊顶系列

立足德国科技，铸就精品威茨堡

Base On German Technology
Make Competitive Products



WLC27 选配 Optional
发纹不锈钢边框，亚克力透光板，LED灯
Hairline stainless steel frame, acrylic light decoration, LED lamp



WLC29 选配 Optional
发纹不锈钢，中空乳白亚克力，中间筒灯
Hairline stainless steel, acrylic light decoration, middle downlight



WLC28-B 选配 Optional
发纹不锈钢，LED筒灯
Hairline stainless steel, LED downlight



WLC31 选配 Optional
镜面不锈钢，LED方灯
Mirror stainless steel, led square lamp



WLC30 选配 Optional
镜面不锈钢框架，亚克力灯饰，LED筒灯
Mirror stainless steel frame, acrylic light decoration, LED downlight



WLC32 选配 Optional
钛金不锈钢框架，亚克力灯饰
Titanium stainless steel frame, acrylic light decoration


Etch pattern series 蚀刻纹系列




WLS801



WLS802



WLS806




WLS807




WLS832



WLS833



WLS836



WLS913

Handrail series 扶手系列



WLH07
选配 Optional

WLH08
选配 Optional

WLH03
选配 Optional

WLH04
选配 Optional

WLH01
选配 Optional

WLH05
选配 Optional

WLH06
选配 Optional

Color card series 色卡系列



RAL1015

RAL7035

RAL7047


RAL9010

图片系电脑绘制, 可能与实际略有不同, 以实物为准。
The pictures are printed by computer and are likely somewhat different from the actual products, and subjected to the product.

Machine roomless passenger elevator Construction sketch 无机房乘客电梯土建图

立足德国科技, 铸就精品威茨堡

Base On German Technology
Make Competitive Products




型号 Model	额定载重量 Rated load (Kg)	额定载客数 Rated passenger load (人)	额定速度 Rated speed (m/s)	轿厢尺寸 Car size (宽A x 深B) (Width A x depth B) (mm)	开门宽度E Door open width (mm)	井道尺寸 Shaft size (宽C x 深D) (Width C x depth D) (mm)	层站深度P Pit depth (mm)	顶层高O Overhead height (mm)	电机功率 Motor Power (Kw)	作用力 Force (KN)				
										R1	R2	R3	R4	R5
TKJW450	450	6	1.0	1000 x 1500	800	2100 x 1900	1500	4000	4.3	13	25	60	48	18
TKJW630	630	8	1.0	1100 x 1400	800	2100 x 1900	1500	4000	4.3	16	29	65	52	20
			1.75				1700	4200	7.5					
TKJW800	800	10	1.0	1350 x 1400	800	2200 x 1900	1500	4000	5	20	36	80	64	25
			1.75				1700	4200	9					
TKJW1000	1000	13	1.0	1600 x 1400	900	2450 x 1900	1500	4000	6	25	42	96	76	30
			1.75				1700	4200	11.7					
TKJW1550	1350	16	1.0	1750 x 1750	900	2600 x 2250	1500	4100	9	40	60	110	90	45
			1.75				1700	4300	15					
TKJW1600	1600	21	1.0	1950 x 1750	900	2800 x 2250	1500	4100	10	55	70	125	110	65
			1.75				1700	4300	17.5					

注: 上述尺寸供设计参考, 具体尺寸以合同附件提供的土建图为准。
Note: The specification above is only for reference, the actual product is subject to the contract.

Machine roomless observation elevator Construction sketch

无机房观光电梯土建图



型号 Model	额定载重量 Rated load (Kg)	额定速度 Rated speed (m/s)	轿厢尺寸 Car size (宽A×深B) (mm)	开门宽度 Door open width E (mm)	井道尺寸 Shaft size (宽C×深D) (mm)	底坑深度 Pit depth d (mm)	顶层高度 Overhead height Q (mm)	电机功率 Motor power (Kw)	作用力 Force (KN)				
									R1	R2	R3	R4	R5
TGJW650	650	8	1100×1630	800	2300×2100	1800	4800	4.3	30	42	65	52	20
							4900	7.5					
TGJW800	800	10	1300×1680	800	2400×2200	1800	4800	5	36	49	80	64	25
							4900	9.5					
TGJW1000	1000	13	1500×1750	900	2500×2200	1800	4800	6	33	51	96	76	30
							4900	11.7					
TGJW1350	1350	16	1600×2100	900	2700×2600	1800	4800	9.5	46	54	105	82	30
							4900	15					
TGJW1600	1600	21	1600×2300	900	2700×2800	1800	4800	10	50	60	110	90	40
							4900	17.5					

注：上述尺寸仅供参考，具体尺寸以合同附件土建图为准。
Note: The specification above is only for reference, the actual product is subject to the contract.

立足德国科技，铸就精品威菱

Base On German Technology
Make Competitive Products



Service Concept 服务理念



威菱拥有专业的维保力量，总是能将故障消灭在它发生之前。

威菱在国内各主要城市均设有分支机构，并建立了完善灵活的营销服务网络体系，迅速响应客户需求。

威菱为紧急排除故障而特设的24小时客户热线，将在第一时间为您提供服务。

威菱定期派员对您的设备的运行状态进行检测，使您的设备得到最为专业的保养。

WELLS owns professional repair and maintenance force. It can always remove any hidden trouble before it actually happens. WELLS establishes vast branches in various major domestic cities. And established a perfect and flexible marketing service network system to quickly respond to customer demand.

WELLS specially sets 24-hour customer hotline for emergency trouble shooting. It will offer you the best services within the shortest time.

WELLS regularly assigns staff to test running conditions of your equipment. Therefore your equipment can get the most professional maintenance.



专业团队
Professional teams



服务专线
Hot-line Service



快捷服务
Prompt & convenient
services



专业维保
Professional repair &
maintenance