



亚洲富士电梯(临沂)有限公司

亚洲富士电梯(菏泽)有限公司

亚洲富士总部:

地址: 山东省临沂市河东区北京东路 1733 号东城金谷 14 幢 7 楼

电话: 13864989767

亚洲富士临沂生产基地:

地址: 山东省临沂市平邑经济开发区板桥路南首

亚洲富士菏泽生产基地:

地址: 山东省菏泽市鄄城县黄河路与东外环路交汇处东南角

广州分公司

广西百色分公司

福州分公司

丰县分公司

枣庄分公司

温州分公司

潍坊分公司

河南分公司

湖州分公司

江西分公司

安徽分公司

淄博分公司

济宁分公司

济南分公司

日照分公司

聊城分公司

衡阳分公司

湖北分公司

河南分公司

云南分公司

上饶分公司

济南分公司

临沂分公司

日照分公司

青岛分公司

重庆分公司

成都分公司

黄冈分公司

海南分公司

西南昆明分公司

抚州分公司

崇仁分公司

邢台分公司

青岛分公司

济南分公司

重庆分公司

宣城分公司

武汉分公司

西藏分公司

南昌分公司

济南分公司

临沂分公司

滨州分公司

菏泽分公司

枣庄分公司

德州分公司

聊城分公司

东营分公司

潍坊分公司

烟台分公司

威海分公司

日照分公司

临沂分公司

本公司保留随时更改此宣传册内容无须预先通知的权利,此册对于任何产品的性能或任何购销合同条款的表述与更改均不承担责任。

亚洲富士电梯版权所有 YFJ 2022

2022-09 版

VILLA
Elevator
别墅电梯

防疫电梯 世界领导者

YZFUJI
Elevator

亚洲富士电梯(临沂)有限公司



YZFUJI Elevator

Distinctive

亚洲富士 卓尔不群



Asia Fuji Elevator

亚洲富士电梯简介



亚洲富士电梯(临沂)有限公司，是一家集各种电梯研发、设计、生产、销售和安装维保于一体的企业，位于山东省临沂市，是2015年招商引资的重点建设项目，总占地面积300亩，总投资13亿元。目前公司已荣获“全国质量检验稳定合格产品”、“全国质量诚信优秀企业”、“国家高新技术企业”等殊荣，并且已获电梯行业技术专利100余项。

亚洲富士电梯凭借集团【富士实业（香港）发展有限公司、深圳亚洲富士电梯设备有限公司、亚洲富士电梯（临沂）有限公司、深圳亚洲富士电梯有限公司、亚洲富士（山东）科技有限公司、亚洲富士建设智能科技（山东）有限公司、山东加装改造电梯（济南）科技有限公司】雄厚的技术人才，以高科技生产设备为基础，完全具备了机电产品的综合制造优势。以全球先进的富士计算机控制技术、富士调频变速技术及富士功率半导体技术，使得富士电梯在行业内具有领先地位。

公司产品丰富，涵盖乘客电梯、观光电梯、载货电梯、别墅电梯、病

床电梯、杂物电梯、液压电梯、汽车电梯、小机房电梯、无机房电梯、自动扶梯、自动人行道等系列产品，并采用先进的全电脑智能控制，对产品销售和服务形成网络化管理，确保用户无后顾之忧。

2021年，为应对疫情，公司申请了“防疫电梯”专利技术，并在电梯产品上首家推行了标配“防疫功能”积极承担社会责任，得到了各级党委、政府的充分认可和广大客户的一致好评。产品获得CE认证证书，打通了出口电梯产品通道。

2021年，集团公司不断拓展销售渠道，坚持以“巩固山东市场，积极拓展国内国际市场”的思想为指导，销量取得了突破性进展，提高了我们亚洲富士电梯品牌的知名度。同时，集团公司不断进行研发，2021年共申请技术专利20项，其中12项已授权。

面临经济新常态，亚洲富士电梯将向高端化、智能化、物联网方向发展。打造电梯、智能立体车库、智能仓储设备创新升级，推进制造业向高精尖迈进，快速实现“立足中国、面向亚洲、走向世界”的宏伟目标！

Asia FUJI Elevator (Linyi) Co., Ltd. is a manufacturing enterprise that integrates the research and development, design, production, sales and installation and maintenance of various elevators, located in Linyi City, Shandong Province, which has a total area of 300 acres and a total investment of 1.3 billion yuan is a key investment attraction of Linyi City in 2015. At present, the company has obtained honors like "National Quality Inspection Stable and Qualified Product", "National Quality Management Standard Enterprise", "Honor certificate and "High-Tech Enterprise", and has won more than 100 technical patents in the elevator industry.

Asia Fuji Elevator relies on the group with Fuji Industry (Hong Kong) Development Co., Ltd., Shenzhen Asia Fuji Elevator Equipment Co., Ltd., Linyi Asia Fuji Elevator (Linyi) Co., Ltd., Shandong Asia Fuji Elevator Co., Ltd., Shenzhen Asia Elevator Co., Ltd., Asia Fuji (Guilin) Technology Co., Ltd., Asia Fuji Construction Investment Intelligent Technology (Shandong) Co., Ltd., and Shandong Retrofit Elevator (Jinan) Branch Technology Co., Ltd., to cover a strong technical R&D Team and high-tech production equipment, fully possess the comprehensive manufacturing advantages of mechanical and electrical products. It's using the world's most advanced Fuji computer Technology, Fuji FM speed regulation technology and Fuji power semiconductor technology and make Fuji Elevator to a leading position in the elevator industry.

We design various products, covering passenger elevators, sightseeing elevators, freight elevators, villa elevators, hospital bed elevators, dumbwaiter elevators, hydraulic lifts, car elevators, small machine room elevators, machine-room-less elevators, escalators, moving walks and other series of products, and adopt the advanced computerized intelligent controlling system and the formation of network management of product sales and services to ensure that customers have no worries in using.

In 2021, in response to the epidemic, the company applied for the patent "Anti-epidemic elevator" technology and was the pioneer to implement the "Anti-epidemic function" as standard in the elevator industry.

The company has been fully recognized by the Party, committees and governments at all levels and praised by our customers. Our products have obtained CE certification, which started our elevator exporting business worldwide. At the same time, our group continued research and development, and applied for 20 technical patents in 2021!

Facing the new normal of the economy, Asia FUJI Elevator will develop towards high-end intelligent and intelligent three-dimensional garages to upgrade their equipment, advance the manufacturing industry to cutting-edges, and quickly achieve the grand goal of based on China, facing Asia, and going global!

**Mini 一体柜**

The features of mini all-in-one cabinets

**精致集成**

一体化设计，深度集成，控制柜体积仅有传统控制柜体积的 30%；造型玲珑精致，安装不拘一格，与建筑、家装风格天然融合。

Highly Integrated

The all-in-one control cabinet is highly integrated, thus the volume is only 30% of the traditional cabinets. The shape is compact and the installation is flexible, which can match well with the different building structures as well as decoration styles.

舒适体验

高性能驱动平台，创新算法，彻底解决电梯启动、运行舒适感难题。

Comfortable

High performance driving platform, innovative algorithm, which greatly improves the passengers' comfort during the start and running of the elevator.

安全无忧

获得 TÜV, SIL3 安全等级国际认证；独创“SS”设计理念：Small, Silence, Save, Safe, Smart；兼具智能自动救援、断电自动救援、一键救援等多重安全保障。

Safe and Secure

Certified by TÜV and SIL3 international safety certifications; The unique SS design philosophy: Small, Silence, Save, Safe, Smart; Combining the security functions of intelligent automatic rescue, power failure automatic rescue, one-key rescue etc.

静音接触器

无接触器应用、无风扇设计，控制柜音量 <40 分贝。

Ultra-quiet

Contactor-less application, designed without fan; The control cabinet volume V40 dB.



安全齿轮 Safety gear



限速器 Speed limiter

永不下坠功能

亚洲富士从安全角度出发使用当今电梯业科技含量最好的有安全钳、限速器保障每一台别墅梯安全运行。

Never drop function


From the safety guarantee, Asia Fuji uses the best security pliers and limiters in the current elevator industry to ensure the safe operation of each villa ladder.

**人体红外感应功能**

当通过人体红外感应监测到乘客在电梯内停留 5 分钟以上，将会主动报警，确保乘客发生紧急情况时发现，随时呵护家人安全。

Body infrared induction function

When infrared induction of human body monitors that passengers have been kept in the villa lift for more than 5 minutes, the system will take the initiative to alarm. Ensure the passenger's emergency is found in time, and keep your family safe at any time.



Intelligent elevator

智能电梯

停电应急疏散装置

在电梯突然断电的情况下,ARD 停电应急装置延时数秒后启动供电到控制柜,电梯就近平层后开门救人。

Contactless and intelligent elevator-calling service

In the case of elevator suddenly interrupt situation, ARD Power failure emergency device will supply power to control cabinet after a few seconds, that elevator could land in near floor and open the door automatically.



一键拨号

亚洲富士别墅电梯内置一键拨号功能,根据您的设置,启动一键拨号智能模块,能够按照您的设置依次拨打手机。

A key dial

Asia Fuji villa elevator equips with a key dial function, according to your settings, start a key dial smart mode, will dial the calls one by one based on your settings.



人脸识别系统(选配)

AI 人脸识别电梯显示器,集物体检测、人脸跟踪识别等多功能于一身,电梯按钮零接触,即可完成身份识别和自动按钮操作,安全又高效。

Face Recognition System(optional)

The AI face recognition elevator display combines human detection, face tracking recognition, and other functions. It has realized the identification and automatic call operation without contact with the elevator button, which is safe and efficient.



个人移动端识别系统(选配)

用户通过手机 APP 装置双手开门电梯并自动识别目的楼层、点亮按钮;无接触式按钮。

APP System(optional)

The user can call the elevator door-to-door through the mobile app device automatically identify the target floor and light the button. It achieves the contactless button.



无接触感应按钮(选配)

新型技术,感应灵敏,丰富的视觉及无接触体验。

无需手指接触就能感应信号,有效起到防菌的效果。

通过人接近感应区域(感应距离 15mm)后检测并发出相应信号,即实现不接触按钮的情况下就能触发按钮。

Non-touch induction button(optional)

When a person approaches the induction area (the induction distance is 15mm), it detects and sends the corresponding signal, which realizes the calling of the elevator without touching buttons.



无接触红外感应按钮(选配)

红外感应按钮采用红外线来实现感应的作用,用户不与按钮接触可触发开关,此按钮应用于医院等有抗菌要求的环境。

Non-touch infrared induction button(optional)

The button uses infrared ray to realize induction. Passengers can trigger the switch without touching the button. It is applied in hospitals and other environments with antibacterial requirements.



抗菌按钮(选配)

机械按钮的基础上进行延伸性研发,在与人体接触部分采用抗菌型材料,抗菌持久性佳。

Antibacterial button(optional)

This extended development is completed on the basis of mechanical buttons. The parts in contact with the human body use antibacterial materials with a high antibacterial durability.




Customized design

定制化设计

亚洲富士强大的结构设计能力和丰富的安装经验总能为您的空间结构提供合理的安装布置方案，即使很小的空间也能享受亚洲富士别墅电梯带来的高品质生活。

Asia Fuji's powerful structure design ability and abundant installation experience always provide reasonable installation layout for your home's space structure, and even a very small space can enjoy the noble lift of villa.



多种开门方式,选择不同品位生活

亚洲富士别墅电梯,采用多种开门方式供用户选择,同时可根据用户的需求和使用情况专门设计。



中分式
Center-opening



旁开式
Side-opening



直角开门
Right-angled door



自动门
Automatic door



中分双折门
Center-opening & double-folded



贯通门
Through type



中分平开
Center-opening & side hung door



手拉式
Manually operated door

Aluminum alloy derrick

铝合金井架 (白、灰色为标配)

独立的框架玻璃设计，不额外增加建筑成本，透光性好，与室内装饰融为一体；安装位置可选，耐腐蚀，寿命周期长，选用工业级铝合金，玻璃采用安全夹胶玻璃。

Independent frame glass design without additional construction costs. Translucent and integrated into the interior. Installation location optional, corrosion resistant long life cycle. Selection of industrial grade aluminum alloy, glass with safety laminated glass.



铝合金切面 A
Aluminum alloy section A



铝合金切面 B
Aluminum alloy section B



铝合金切面 C
Aluminum alloy section C



铝合金切面 D
Aluminum alloy section D

高级喷涂铝合金框架

Advanced spray aluminum alloy frame



Steel structure derrick

钢结构井架 (白、灰色为标配)

性价比高，外板后期由装修单位封装与设计风格一致，安装位置可选，表面喷涂防锈处理，耐腐蚀。

Cost-effective, packaging and design style of the outer board by the decoration unit is the same in the later stage, installation location can be optional, surface spraying rust-proof treatment, corrosion resistance.



外折弯式
Outside bend



冷弯式
Cold bend



方管
square tube

高级喷涂钢结构框架

Advanced spray steel structure frame



Traction type villa elevator

曳引式钢丝绳别墅电梯

亚洲富士别墅电梯，秉承欧洲私人电梯领域顶尖技术，传承国际经典设计理念，融汇艺术性，实用性与时代性于一体，与别墅、私人豪宅的高层次品十分吻合。

Asia Fuji Home Elevator, inheriting the leading technology of European private elevator industry, adhering to the international classical design concept and combining art, practicality and contemporary, coincides with the high-level taste of villas and private luxury real estate.

曳引式家用电梯的特点

- ◎ 无需传统机房：节省建筑成本
- ◎ 可根据房屋结构的开门需求采用背墙式和龙门架式电梯结构
- ◎ VVVF 驱动技术：家用电梯专用微机板控制，平稳舒适
- ◎ 专用曳引机机架：固定于导轨，建筑物可不受力
- ◎ 主机：可采用 220V 单相电源，普通家用电源，无需另外申请工业电源
- ◎ 自动专用门机：美观节能，安全可靠
- ◎ UPS（后备电源）：在停电时可以应急救人
- ◎ 运行时总额定功率 1.5KW（其中驱动系统 1.1KW）

Characteristics of a traction type home elevator

It does not need machine room. It saves the building cost.
It applies counter level style and gantry style elevator structure according to door opening requirements of the housing structure.
VVVF drive technology: Home elevator dedicated micro-computer control is smooth and comfortable.
Special traction machine base frame is fixed on guideway. The building does not bear any load.
Machine: It can apply 220V single-phase power supply of ordinary family use. It does not need to apply for industrial power supply.
Automatic door operator: Variable frequency energy-saving, safe and reliable
UPS (backup): can release the passengers during power failure.
In the operation, total rated power is 1.5KW including 1.1KW for drive system.

内转子曳引主机，小巧轻便



Inner Rotor Traction Machine, Small, Light and Convenient
曳引轮双支撑式结构，运行更稳定
别墅梯的理想选择，节能环保、噪音小、性价比高



Steel belt villa elevator

曳引式钢带别墅电梯

新型的钢带曳引式家用电梯产品，轿壁装饰为三面墙嵌式，中间装饰可拆卸，可采用不同材质，互换性更强，可满足客户的多样化、个性化需求。

New steel-band traction type home elevator gets 3-side inlaid type for the car. Center decoration can be removed. It applies different materials with the stronger interchangeability. It can satisfy the clients' diverse and individual requirements.



与传统钢丝绳相比：

1. 聚氨酯材料层，无需润滑
2. 寿命是传统钢丝绳 2-3 倍
3. 更易弯曲，增大与驱动轮接触面积，更节能，更高效

Compared with the traditional wire rope:

- 1.Polyurethane (PU) material layer without lubrication.
- 2.Its life is two or three times higher than that of traditional wire rope.
- 3.It is more bendable. It increases the contact area with drive wheel. It is more effective and energy-saving.



Strong drive villa elevator

强驱式别墅电梯

采用先进的电梯强驱式驱动和数字化控制变频调速技术，运行平顺。
无需对重，无齿轮箱，体积小，安装简便，完全可以实现无机房设计，相比较传统液压梯，节省成本，更节约空间。

Applies the advanced elevator forced-drive and digital control variable frequency speed governor technology with smooth running. It needs no counterweight; no gear-box with small bulk, simple and convenient installation. It fully fulfills machine room-less. Compared with the traditional hydraulic elevator, it saves the cost and space.



强驱主机，极致空间

强驱主机无需配对重
强驱主机比常规主机大大节约了井道空间



Strong traction machine, extreme space

Strong drive hosts do not need to be paired
The forced drive main engine saves the well space greatly compared with the conventional main engine

Platform style villa elevator

平台式别墅电梯

随处可装

小巧灵活，极易融入任何建筑，提供一系列配件以打造适合家居环境的私人顶级电梯，具有极高安全性与安装便捷性。在楼层天花板极低的情况下，可提供 1.1 米的半高门，最大程度利用顶层空间。

Convenient installation at anywhere

Small and flexible space can easily merge with any buildings. It supplies a series of parts to create a top-class private elevator that suits the household environments. It features as extremely high safety and convenient installation. Under the condition of very low floor ceiling, it can offer 1.1m half-height door. It thus utilizes the top-floor space to maximum extent.

使用和维护成本低

与传统电梯相比，安装成本与维护保养成本较低，除标配钢质井道和门之外，还可选安全防爆玻璃井道和各种门。

Low cost in use and maintenance

Compared with traditional elevator, it gets low installation / maintenance cost. Apart from standard steel plate well and door, optional safety anti-explosive laminated glass well and various doors are available for your free selections.

安装简便

无需独立机房，产品自带一体化井道，安装简便，两天即可完成施工。可直接安装在已完成装修的地板上而不破坏现有装修。


Simple & Convenient installation installation

It needs no independent machine room. It has integrated well with simple and convenient installation. Construction can be finished within 2 days. It can be directly installed in the decorated floor without destroying the current decoration.



Modern and simple Car decoration

现代简约轿厢装潢



15



精英 300 全新演绎

Call 400-1000-0000

FUJI-V-101

吊顶: 不锈钢框架 + 亚克力工艺板 + LED 简灯
后壁: 两侧发丝不锈钢, 中间错面蚀刻发丝不锈钢
侧壁: 两侧发丝不锈钢, 中间错面不锈钢
前壁: 发丝不锈钢
轿门: 发丝不锈钢
扶手: 发丝不锈钢圆管
地板: PVC 大理石纹拼花地板

Ceiling: stainless steel frame + acrylic arched roof +
LED downlight
Rear wall: two side hairline stainless steel+middle mirror
etching hairline stainless steel
Side wall: two side hairline stainless steel+ middle mirror
stainless steel
Front wall: hairline stainless steel
Car door: hairline stainless steel
Handrail: hairline stainless steel round tube
Floor: PVC marble pattern floor

图片系电脑绘制, 可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture



16

Modern and simple Car decoration

现代简约轿厢装潢



FUJI-V-102

吊顶：黑钛饰面不锈钢，亚克力工艺板，LED 灯
前壁：黑钛发丝纹不锈钢
侧壁：黑钛发丝纹不锈钢，黑钛镜面不锈钢
后壁：黑钛发丝纹不锈钢，黑钛镜面不锈钢，隐藏灯带
轿门：黑钛发丝纹不锈钢
地板：PVC 大理石纹拼花地板
Ceiling: black titanium pattern stainless steel + acrylic arched roof + LED light
Front wall: black titanium pattern stainless steel
Side wall: black titanium pattern stainless steel, black titanium mirror stainless steel
Rear wall: black titanium pattern stainless steel, black titanium mirror stainless steel, hidden lamp strip
Car door: black titanium pattern stainless steel
Floor: PVC marble pattern floor



FUJI-V-103

吊顶：烤漆钢板，亚克力工艺板
前壁：蓝宝石砂面不锈钢
侧壁：烤漆不锈钢，蓝宝石砂面不锈钢
后壁：烤漆不锈钢，蓝宝石砂面不锈钢
轿门：蓝宝石砂面不锈钢
地板：PVC 大理石纹拼花地板
Ceiling: Paint steel plate, acrylic arched roof
Front wall: Sapphire sand stainless steel
Side wall: Mirror stainless steel, sapphire sand stainless steel
Back wall: Mirror stainless steel, sapphire sand stainless steel
Landing door: Sapphire sand stainless steel
Floor: PVC marble pattern floor



FUJI-V-104

吊顶：香槟金镜面不锈钢 +LED 灯带
后壁：香槟金发丝纹不锈钢 +蚀刻
侧壁：香槟金发丝纹不锈钢
前壁：香槟金发丝纹不锈钢
轿门：香槟金发丝纹不锈钢
地板：PVC 大理石纹地板
Ceiling: champagne gold mirror stainless steel +LED downlight
Rear wall: champagne gold hairline stainless steel +etching
Side wall: champagne gold hairline stainless steel
Front wall: champagne gold hairline stainless steel
Car door: champagne gold hairline stainless steel
Floor: PVC marble floor




FUJI-V-105

吊顶：香槟金不锈钢，LED 灯带，LED 灯
后壁：香槟金发丝不锈钢，香槟金镜面抛光不锈钢
侧壁：香槟金发丝不锈钢
前壁：香槟金发丝不锈钢
轿门：香槟金发丝不锈钢
地板：PVC 大理石纹拼花地板
Ceiling: champagne gold stainless steel +LED light strip+LED downlight
Rear wall: champagne gold vibration finishstainless steel, champagne gold mirror etching stainless steel
Side wall: champagne gold vibration finishstainless steel, champagne gold mirror etching stainless steel
Front wall: champagne gold vibration finishstainless steel
Car door: champagne gold stainless steel
Floor: PVC marble pattern floor

图片系电脑绘制，可能与实际画面不同
The picture is drawn by computer and may be different from the actual picture.

Elegant Traditional Car decoration


经典中式轿厢装潢



扫码 3D+全景演示
Scan QR for 3D+Panoramic Demo

FUJI-V-201

吊顶:玫瑰金发丝不锈钢, 镜面不锈钢, LED筒灯
前壁:玫瑰金发丝不锈钢
侧壁:玫瑰金发丝不锈钢
后壁:玫瑰金发丝不锈钢, 玫瑰金镜面蚀刻不锈钢
轿门:玫瑰金发丝不锈钢
地机:PVC 大理石花纹地板
Ceiling: Rose gold hairline stainless steel + mirror stainless steel, LED downlight
Front wall: Rose gold hairline stainless steel
Side wall: Rose gold hairline stainless steel
Rear wall: Rose gold hairline stainless steel + rose gold mirror etched stainless steel
Car door: Rose gold hairline stainless steel
Floor: PVC marble pattern floor



图片系电脑绘制, 可能与实物稍有不同
The picture is drawn by computer and may be different from the actual picture

Elegant traditional Car decoration

经典中式轿厢装饰



扫码 360°全景展示
Scan 360°panoramic view

FUJI-V-202

吊顶:镜面不锈钢, LED 简灯, 亚克力工艺板
后壁:中间香槟金镜面蚀刻, 两侧发纹不锈钢, 黑钛装饰条
侧壁:中间香槟金镜面, 两侧发纹不锈钢, 黑钛装饰条
前壁:发纹不锈钢
轿门:发纹不锈钢
轿底:PVC 大理石纹拼花地板
Ceiling: mirror stainless steel, LED downlight, acrylic arched roof
Back wall: Champagne gold mirror etching in the middle, hairline stainless steel on both sides, black titanium decorative strips
Side wall: champagne gold mirror in the middle, hairline stainless steel on both sides, black titanium decorative strips
Front wall: Hairline stainless steel
Car door: Hairline stainless steel
Floor: PVC marble pattern floor



扫码 360°全景展示
Scan 360°panoramic view

FUJI-V-204

吊顶:金属烤漆, 黑钛不锈钢嵌条, 氛围灯带
前壁:黑色镜面不锈钢
侧壁:金属烤漆, 中间黑钛镜面不锈钢
后壁:艺术光感玻璃, 黑钛不锈钢嵌条, 金属烤漆
轿门:黑色镜面不锈钢
地板:PVC 大理石纹拼花地板
Ceiling: Metal baking varnish, black titanium stainless steel molding, atmosphere light strip
Front wall: Black titanium mirror stainless steel
Side wall: Metal paint, black titanium mirror stainless steel in the middle
Rear wall: Artistic light-sensitive glass, black titanium stainless steel decorative strip, metal baking paint
Car door: Black titanium mirror stainless steel
Floor: PVC marble pattern floor



扫码 360°全景展示
Scan 360°panoramic view

FUJI-V-205

吊顶:钛金镜面不锈钢, 亚克力工艺板, LED 筒灯
前壁:钛金不锈钢
侧壁:钛金镜面不锈钢
后壁:钛金不锈钢, 钛金镜面蚀刻不锈钢
轿门:钛金不锈钢
扶手(选配):钛金不锈钢
地板:PVC 大理石纹拼花地板
Ceiling: Titanium mirror stainless steel, acrylic arched roof, LED downlight
Front wall: Titanium stainless steel
Side wall: Titanium mirror stainless steel
Rear wall: Titanium mirror stainless steel + Titanium mirror etched stainless steel
Car door: Titanium mirror stainless steel
Handrail(options): Tri-plated stainless steel
Floor: PVC marble pattern floor
The picture is drawn by computer and may be different from the actual picture



FUJI-V-203

吊顶:钢板喷漆, LED 筒灯
后壁:中间玫瑰金镜面蚀刻不锈钢, 两侧玫瑰金发纹不锈钢
侧壁:不锈钢装饰条
前壁:中间玫瑰金镜面不锈钢, 两侧玫瑰金发纹不锈钢, 黑钛不锈钢装饰条
轿门:玫瑰金发纹不锈钢
轿底:玫瑰金镜面不锈钢
轿门:玫瑰金发纹不锈钢
轿底:PVC 大理石纹拼花地板
Ceiling: painted steel, LED downlight
Rear wall: middle rose gold mirror etching stainless steel, two side rose gold
hairline stainless steel+Black titanium stainless steel decorative strip
Side wall: middle rose gold mirror stainless steel, two side rose gold hairline
stainless steel+Black titanium stainless steel decorative strip
Front wall: rose gold hairline stainless steel
Car door: rose gold hairline stainless steel
Floor: PVC marble pattern floor
The picture is drawn by computer and may be different from the actual picture





扫码 3D°全息展示
Scan 3D° panoramic view

FUJI-V-301

吊顶:玫瑰金镜面不锈钢,亚克力工艺板,LED 壁灯
侧壁:玫瑰金发丝纹不锈钢
侧壁:玫瑰金镜面不锈钢,玫瑰金镜面拉丝不锈钢
后壁:玫瑰金镜面不锈钢,玫瑰金镜面连铸不锈钢
轿门:玫瑰金发丝纹不锈钢
扶手:玫瑰金发丝纹不锈钢扶手
地板: PVC 大理石纹拼花地板
Ceiling: Mirror stainless steel rose gold +acrylic arched roof+LED downlight
Front wall: Rose gold hairline stainless steel
Side wall: Rose gold mirror stainless steel + Rose gold mirror etching stainless steel
Rear wall: Rose gold mirror stainless steel + Rose gold mirror etching stainless steel
Car door: Rose gold hairline stainless steel
Handrail: Rose gold hairline stainless steel flat handrail
Floor: PVC marble pattern floor

图片系电脑绘制,可能与实物稍有不同
The picture is drawn by computer and may be different from the actual picture.



European and american classical Car decoration

欧美古典轿厢装潢



FUJI-V-302

吊顶: 古铜色镜面不锈钢 + 亚克力工艺板
前壁: 古铜色镜面不锈钢
侧壁: 古铜色镜面不锈钢 + 镂刻不锈钢
后壁: 古铜色镜面不锈钢
轿门: 古铜色镜面不锈钢 + 镂刻不锈钢
地板: PVC 大理石纹地板
Ceiling: bronze mirror stainless steel + acrylic arched roof
Front wall: bronze mirror stainless steel
Side wall: bronze mirror stainless steel + etching stainless steel
Rear wall: bronze mirror stainless steel
Car door: Mirror stainless steel+ etching stainless steel
Floor: PVC marble floor



FUJI-V-303

吊顶: 发丝不锈钢镜面青铜色, LED 射灯
前壁: 发丝不锈钢镜面青铜色
侧壁: 发丝不锈钢镜面青铜色
后壁: 发丝不锈钢镜面青铜色, 镜面不锈钢 + 镂刻图案
轿门: 发丝不锈钢镜面青铜色
地板: PVC 大理石纹拼花地板
Ceiling: bronze hairline stainless steel, LED downlight
Front wall: bronze hairline stainless steel
Side wall: bronze hairline stainless steel
Rear wall: bronze hairline stainless steel, mirror stainless steel+etched
Car door: bronze hairline stainless steel
Floor: PVC marble pattern floor

图片系电脑绘制, 可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture.

25



FUJI-V-304

吊顶: 不锈钢框架, 钛金镜面不锈钢, LED 射灯
前壁: 钛金镜面不锈钢
侧壁: 钛金镜面不锈钢, 木纹钢板
后壁: 钛金镜面钛金不锈钢
轿门: 钛金镜面不锈钢
地板: PVC 大理石纹拼花地板
Ceiling: Stainless steel frame, Titanium mirror stainless steel, LED downlight.
Front wall: Titanium Sand blasting stainless steel
Side wall: Titanium mirror stainless steel. Wood grain steel plate
Rear wall: Titanium mirror etched stainless steel
Car door: Titanium Sand blasting stainless steel
Floor: PVC marble pattern floor



FUJI-V-305


吊顶: 钛金发丝不锈钢, 透光云石, LED 射灯
前壁: 钛金发丝不锈钢
侧壁: 钛金发丝不锈钢 + 钛金镜面镂刻不锈钢
后壁: 钛金发丝不锈钢 + 钛金镜面镂刻不锈钢
轿门: 钛金发丝不锈钢
扶手(选配): 钛金不锈钢三联管
地板: PVC 大理石纹拼花地板
Ceiling: Titanium hairline stainless steel, translucent marble, LED downlight
Front wall: Titanium hairline stainless steel
Side wall: Titanium hairline stainless steel, Titanium mirror etched stainless steel
Rear wall: Titanium hairline stainless steel, Titanium mirror etched stainless steel
Car door: Titanium hairline stainless steel
Handrail(optional): Titanium stainless steel three tube
Floor: PVC marble pattern floor

图片系电脑绘制, 可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture.

26

Sightseeing series Car decoration

观光系列轿厢装潢



27



轿箱 300 全新装饰
Car 300 premium interior

FUJI-V-401

外型:发丝不锈钢
吊顶:发丝不锈钢框架, 镜面不锈钢, 亚克力工艺板
前型:发丝不锈钢
轿壁:发丝不锈钢, 彩绘钢板, 安全夹胶玻璃
扶手:不锈钢圆管
地板:PVC 大理石纹地板
Canopy: hairline stainless steel
Ceiling: hairline stainless steel frame + mirror stainless steel+ acrylic arched roof
Front Wall: hairline stainless steel
Car Wall: hairline stainless steel + polychrome steel, safety glass
Handrail: stainless steel tube
Floor: PVC marble floor



图片系电脑绘制, 可能与实物稍有不同
The picture is drawn by computer and may be different from the actual picture

28

Sightseeing series

Car decoration

观光系列轿厢装潢



FUJI-V-402

吊顶:星空顶
后壁:黑钛不锈钢, 安全夹胶玻璃
侧壁:黑钛不锈钢, 安全夹胶玻璃墙, 灯带
前壁:黑钛不锈钢
轿门:黑钛不锈钢, 安全夹胶玻璃
地板:PVC 大理石纹地板
Ceiling: Starry sky top
Rear wall: Black titanium stainless steel, safety glass
Side wall: Black titanium stainless steel, safety glass, light strip
Front wall: Black titanium stainless steel
Car door: Black titanium stainless steel, safety glass
Floor: PVC marble pattern floor



FUJI-V-403

全铝合金观光轿厢(颜色可改香槟金, 冰咖啡色)
吊顶:黑钛镜面, 亚克力工艺板
后壁:安全夹胶玻璃 + 铝合金边框
侧壁:安全夹胶玻璃 + 铝合金边框 + 黑钛镜面不锈钢
前壁:黑钛不锈钢
轿门:黑钛不锈钢, 安全夹胶玻璃
地板:PVC 大理石纹拼花地板
All aluminum alloy sightseeing car (color can be changed to champagne gold, ice coffee gray)
Ceiling: black titanium mirror, acrylic art board
Rear wall: safety glass + aluminum alloy frame
Side wall: safety glass + aluminum alloy frame + black titanium mirror stainless steel
Front wall: black titanium stainless steel, safety glass
Car door: black titanium stainless steel, safety glass
Floor: PVC marble pattern floor

图片系电脑绘制, 可能与实际图片有不同
The picture is drawn by computer and may be different from the actual picture.

29



FUJI-V-404

吊顶:玫瑰金不锈钢框架, 亚克力工艺板
前壁:玫瑰金不锈钢
侧壁:玫瑰金不锈钢, 安全夹胶玻璃
后壁:玫瑰金不锈钢, 安全夹胶玻璃
轿门:玫瑰金不锈钢
地板:PVC 大理石纹拼花地板
Ceiling: Rose gold stainless steel frame, acrylic arched roof
Front wall: Rose gold stainless steel
Side wall: Rose gold stainless steel, safety laminated glass
Back wall: Rose gold stainless steel, safety laminated glass
Landing door: Rose gold stainless steel
Floor: PVC marble pattern floor



FUJI-V-405

吊顶:发丝不锈钢 + LED 筒灯
前壁:发丝不锈钢
侧壁:发丝不锈钢 + 安全夹胶玻璃
后壁:发丝不锈钢 + 安全夹胶玻璃
轿门:发丝不锈钢 + 安全夹胶玻璃
地板:PVC 大理石纹拼花地板
Ceiling: Hairline stainless steel + LED downlight
Front wall: Hairline stainless steel
Side wall: Hairline stainless steel + safety laminated glass
Rear wall: Hairline stainless steel + safety laminated glass
Car door: Hairline stainless steel + safety laminated glass
Floor: PVC marble pattern floor

图片系电脑绘制, 可能与实际图片有不同
The picture is drawn by computer and may be different from the actual picture.

30

Human-machine interface (optional)

人机界面 (选配)



FUJI-COP-V101
标配 Standard



FUJI-LOP-V101



FUJI-COP-V102
标配 Standard



FUJI-COP-V103
标配 Standard

触摸屏
Touch screen series



FUJI-COP-V104
选配 Optional



FUJI-COP-V105
选配 Optional



FUJI-COP-V106
选配 Optional

外呼控制
LOP control



FUJI-LOP-V104
选配 Optional



FUJI-LOP-V105
选配 Optional



FUJI-LOP-V106
选配 Optional



FUJI-LOP-V107
选配 Optional



FUJI-COP-V107
选配 Optional



FUJI-COP-V108
选配 Optional



FUJI-COP-V109
选配 Optional



FUJI-LOP-V108
选配 Optional



FUJI-LOP-V109
选配 Optional



FUJI-LOP-V110
选配 Optional



FUJI-LOP-V111
选配 Optional



FUJI-LOP-V112
选配 Optional



FUJI-COP-V110
选配 Optional



FUJI-COP-V111
选配 Optional



FUJI-COP-V112
选配 Optional

图片系电脑绘制，可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture.

图片系电脑绘制，可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture.

Car ceiling (optional)

吊顶(选配)



FUJI-D-A102

中间是影像平面,两侧为不锈钢底板上附以 LED 筒灯
Middle with image roof, side of stainless steel
bottom with LED downlight



FUJI-D-A109

玫瑰金镜面不锈钢,亚克力工艺板,LED 筒灯
Rose stainless steel frame, acrylic arched roof,
LED downlight



FUJI-D-A110

不锈钢框架,亚克力工艺板
Stainless steel frame, acrylic arched roof



FUJI-D-A111

钛金镜面不锈钢框架,亚克力工艺板
Titanium mirror stainless steel, acrylic
arched roof



FUJI-D-A112

钛金不锈钢框架,极顶灯,LED 筒灯
Titanium stainless steel frame,
Ceiling lamp, LED downlight



FUJI-D-A113

钛金不锈钢框架,亚克力工艺板,LED 筒灯,内置灯光
Titanium stainless steel frame, acrylic
arched roof, LED downlight, built-in light



FUJI-D-A114

古铜色不锈钢框架,亚克力工艺板
Bronze stainless steel frame, acrylic arched roof



FUJI-D-A115

发纹不锈钢,LED 筒灯
Hairline stainless steel, LED downlight

Floor (optional)


地板(选配)



FUJI-DB-A01



FUJI-DB-A02



FUJI-DB-A03



FUJI-DB-A04



FUJI-DB-A05



FUJI-DB-A06



FUJI-DB-A07



FUJI-DB-A08

Handrail (optional)

扶手(选配)



FUJI-H-A01

发纹不锈钢单管
Hairline stainless steel single pipe



FUJI-H-A02

镜面钛金不锈钢单管
Mirror titanium stainless steel single pipe



FUJI-H-A04

不锈钢,钛金组合
Stainless steel/titanium combination



FUJI-H-A05

圆木和钛金组合
Round wood and titanium combination



FUJI-H-A08

不锈钢短纹,圆头
Stainless steel with short stripes, Round
handrail head



FUJI-H-A15

钛金板方扶手
Titanium stainless steel square handrail

图片系电脑绘制,可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture.

图片系电脑绘制,可能与实物略有不同
The picture is drawn by computer and may be different from the actual picture.

Elevator lobby design (optional)

候梯厅设计 (选配)



FUJI-TM-103
镜面蚀刻不锈钢
Mirror etched stainless steel



FUJI-TM-104
镜面蚀刻不锈钢
Mirror etched stainless steel



FUJI-TM-105
发纹不锈钢蚀刻
Etched hairline stainless steel



FUJI-TM-116
钛金发纹不锈钢
Titanium hairline stainless steel



FUJI-TM-117
香槟金镜面不锈钢
Champagne gold mirror stainless steel



FUJI-TM-118
黑钛镜面不锈钢
Black titanium mirror stainless steel



FUJI-TM-112
玫瑰金发纹不锈钢
Rose gold hairline stainless steel



FUJI-TM-113
古铜发纹不锈钢
Bronze hairline stainless steel



FUJI-TM-114
发纹不锈钢 + 安全夹胶玻璃
Hairline stainless steel + safety laminated glass



FUJI-TM-119
钛金镜面蚀刻不锈钢
Titanium mirror etched stainless steel



FUJI-TM-120
香槟金镜面蚀刻不锈钢
Champagne gold mirror etched stainless steel



FUJI-TM-121
玫瑰金镜面蚀刻不锈钢
Rose gold mirror etched stainless steel

图片系电脑绘制, 可能与实物略有不同。
The picture is drawn by computer, which may be slightly different from the final product.

图片系电脑绘制, 可能与实物略有不同。
The picture is drawn by computer, which may be slightly different from the final product.

Function table

电梯功能

全面保护 General protection

关门时间保护 Closing time protection	外召按钮嵌入自诊断 Hb button embedded self-diagnosis
轿内紧急照明 Emergency lighting in the car	故障低速自救功能 Fault low-speed self-rescue
指位保护 Limit protection	防打滑保护 Prevent slipping protection
光幕门保护装置 The screen door protection device	安全回路保护 Safety circuit protection
轿顶与控制柜紧急电动运行 Car roof and control cabinet emergency electric operation	超载不启动(警示灯及蜂鸣器) Overload warning (Caution light and buzzer)
故障自动检测功能 Fault automatic diagnosis	上下极限保护装置 Upper and lower limit protection device
警铃 Alarm bell	门连锁保护 Door interlock protection
撞底缓冲装置 Hitting the bottom buffer device	运行接触器保护 Operation contactor protection
门外不能开门 Outside door zone without opening door	电网电压波动检测功能 Wave detection of grid voltage
抱闸检测保护 Brake detection and protection	驱动设备过热保护 Driven equipment overheating protection (OHT)
接触器反馈检测功能 Contactor feedback detection	电动机回馈 Electric brake
继电器检测保护 Relay detection protection	停电应急平层(ARD) Power-off emergency leveling (ARD)
速度反馈检测功能 Speed feedback detection	一键挂号功能 One-touch dial
逆向运行保护 Protection against reverse travel	

平稳运行 Steady running

无屏自返基站功能 Return to base station without call	满载不停靠 Full-load direct running (LNS)
全集选控制 Full collective control	井道自学习 Hoistway self-learning
待梯层设定 Upon elevator floor setting	端站校速及楼层号校正 End station for speed and floor number correction
自动开关门(自动门 Automatic door) Automatic door switch	驻停 Parking

外召按钮嵌入自诊断 Hb button embedded self-diagnosis
故障低速自救功能 Fault low-speed self-rescue
防打滑保护 Prevent slipping protection
安全回路保护 Safety circuit protection
超载不启动(警示灯及蜂鸣器) Overload warning (Caution light and buzzer)
上下极限保护装置 Upper and lower limit protection device
门连锁保护 Door interlock protection
运行接触器保护 Operation contactor protection
电网电压波动检测功能 Wave detection of grid voltage
驱动设备过热保护 Driven equipment overheating protection (OHT)
电动机回馈 Electric brake
停电应急平层(ARD) Power-off emergency leveling (ARD)
一键挂号功能 One-touch dial

信息显示 Information display

厅外数字式位置指示器 Hall digital position indicator	厅和轿厢呼梯 / 登记 Hall and car call/register
轿厢数字式位置指示器 Car digital position indicator	运行次数显示功能 Running number display
轿厢运行方向显示 Car running direction display	厅外运行方向显示 Hall running direction display
楼层显示字符的任意设置 Floor display character arbitrary setting	

舒适乘行 Comfortable ride

设置厅、轿门时间 (自动门) Automatic door Hall and car door setting time	重复关门 (自动门) Automatic door Repeated closing door
开、关门按钮 (自动门) Automatic door Open and close button	输入口干批评 Input port evaluation
轿内通风启动及照明自动控制功能 Automatic ventilation and lighting of automatic control in car	手动选层 Manually selected floor
本层外召开关 (自动门) Automatic door Hb calls door opening	设置错层取消 Cancellation of wrong landing
不停层设置 Bypassed stop setting	语音报站 Voice announcement


保安监控 Security monitoring

- 监控室与机房、轿厢对讲 (不含机房到监控室连线)
Intercom from monitor room to machine room, car
(Exclude machine room wired to monitor room)
- 电梯远程监控
Elevator remote control
- BA 接口 (干接点)
BA interface (Dry contact)
- 读卡器
Card reader
- 小区监控盘
Community monitoring panel
- 小区电脑监视
Community computer monitoring

注: O 为选配功能
Note: O is optional function

Layout specifications and dimensions

土建规格及尺寸



别墅电梯参数

Home elevator parameters

额定载重量 Capacity (kg)	载客人数 Person	速度 Speed (m/s)	开门尺寸 Entrance (mm)	轿厢内尺寸 Cage car (dimension mm)	轿厢外尺寸 Car outside (dimension mm)	轿道尺寸 Cage roadway (dimension mm)	曳引深度 Pd depth (mm)	层间高度 Overhead height (mm)	底坑深度 Pd reaction depth (mm)	底坑限速 Load-supporting bottom speed (m/s)	额定功率 Rated power (kW)	电源容量 Power capacity (kVA)	机房空间 Load space (mm²)		
0	N0	0.4	GP	CW × CD	SW × SD	HW × HD	Pd	<25	R1	R2	R3	R4	KW	KVA	MM ²
200	3	0.4	650	900 × 900	902 × 866	1600 × 1200	400	3000	41	36	18	18	1	2.5	6
300	4	0.4	700	900 × 1000	902 × 1166	1600 × 1400	400	3000	43	38	20	20	1	2.5	6
400	5	0.4	700	1000 × 1100	1052 × 1266	1700 × 1500	400	3000	45	40	22	22	1	2.5	6
		1.0					1000	3200					2.2	5.2	6

注：上述尺寸仅供参考，具体尺寸以合同签约时提供的土建图为准。
Note: The above dimensions are for reference only, specific dimension is the final signing contract provided by the civil construction drawing.

39



客户服务中心

我们构建了完整的服务体系，项目全生命周期内，都由专业人员负责沟通，认真聆听客户需求，进行全程提供最贴心的精细化服务，使用期间，定期对您的设备运行状态进行检测，确保设备始终处于最佳运行状态。

Customer service center

We have built a complete service system. During the entire life cycle of the project, we are responsible for professional communication, listen to customer needs, and provide the most intimate and refined services throughout the entire process. We will regularly check the operating status of your equipment to ensure the equipment is always in the best operating condition in use period.

智能物联网平台

凭借智能物联网技术和公司自有的维保大数据，亚洲富士电梯自主研发智能物联网平台，为客户和乘客带来前所未有的智慧服务。

Intelligent IoT platform

Relying on the intelligent Internet of technology and the company's own maintenance big data, Asia Fuji Elevator independently developed the intelligent Internet of platform to bring unprecedented intelligent services to customers and passengers.

覆盖全国的售后服务网络

亚洲富士电梯在国内各主要城市设有分支机构，为当地客户做出第一时间的响应及快捷的备件供应。

The nation-wide after-sale service network

Asia Fuji elevator sets up the branches in major cities in China. We provide the local customers with the fast response at the first time and prompt parts supply.