

# 乘客电梯系列

Passenger Elevator series



GSE  
Elevator Serving



十年用心 只做好电梯

10 years' production experience of passenger elevators

广东铃木电梯有限公司  
GUANGDONG GSE ELEVATOR CO., LTD.



人性化设计，兼具美观与实用；  
严苛制造，兼备安全与精致；  
在每个细微之处展现专业品质，  
广东铃木电梯，  
承载更多美好生活。


Attractive and practical human-centered design

Safe, harsh and delicate manufacture

It shows professional quality in every tiny detail

Guangdong GSE Elevator

Bears more and more happy lives for you.



\*最大行程可达200米

The maximum stroke can reach 200 meters



It gives a full play of  
Perfect quality  
方寸之间 尽显品质



# 广东铃木电梯 用心，承载每一份信任

**Guangdong GSE Elevator**  
**Taking responsibility with our heart**

广东铃木电梯有限公司是建筑垂直运输领域集理论研究、技术开发、产品生产、安装服务于一体的现代化综合型电梯服务制造商，是国内首批获得特种设备 A1 级制造许可资质的企业。

从制造到智造，广东铃木电梯一直用心做好电梯，产品涵盖GSE系列乘客电梯、载货电梯、自动扶梯、自动人行道、消防电梯、杂物梯及智能立体停车库和既有建筑加装电梯服务，市场辐射全国各省市自治区及主要城市，产品远销东南亚、南亚、中亚、非洲、欧洲、美洲等几十个国家和地区。

团队精神、创新驱动不断提升着GSE产品的核心竞争力，“电梯自动解困”、“电梯机器人”、“加装电梯浅底坑系统”、“既有建筑加装电梯超静定结构”等百项自主知识产权技术已获得国家发明专利。广东铃木电梯有限公司现为国家电梯标准委成员单位，参与数十项电梯国家标准的起草、编修，被认定为国家高新技术企业、省工程技术中心，并通过EWC、CE、德国TUV等国内外认证。

时光流苏，初心不负。历经数十年的品牌积淀，“用心·做好电梯”已深深根植于广东铃木电梯企业经营管理的每一个环节，影响着每一位广东铃木电梯人的行为准则。广东铃木电梯，一个以人文体验、本质安全、产品生命周期管理为核心竞争力，以创新与服务为根本，集整机、主要部件智能化生产为发展方向的“广东铃木电梯产业集群”正在时代的期许下行稳致远。

GUANGDONG GSE Elevator Co., Ltd. is a modern and comprehensive elevator service manufacturer in the building vertical transport field. It integrates the theoretical research, technical development, product manufacture, installation service into one. It is among the first group in China that gets "Special Equipment A1-Class Manufacture License & Qualification".

From production to intellectual manufacture, Guangdong GSE Elevator always manufactures superior elevators heart and soul. The products cover GSE serial passenger elevator, freight elevator, escalator, moving walk, fire-fighting elevator, dumbwaiter, intellectual vertical garage, elevator re-installation service. The product marketing is wide-spreading in various domestic provinces, cities and autonomous regions. We also sell the elevators far and wide including Southeast Asia, South Asia, Central Asia, Africa, Australia, America etc.

It keeps enhancing core competitive power of GSE products by the collective spirits and innovative drive. It has got the national invention patents for over 100 independent intellectual property right technologies such as "automatic release of trapped passengers", "elevator robots", "shallow pit system of elevator re-installation", "statically indeterminate structure of elevator re-installation" etc. At present, Guangdong GSE Elevator is Member Unit of National Elevator Standard Committee. It participates into formulating dozens of the national elevator standards. It has been appraised High & New Tech Enterprise in China, Engineering Technology Center in Guangdong Province. It passes the domestic and foreign certifications such as EWC, CE, German TÜV etc.

Through dozens of years' brand accumulation, it always manufactures superior elevators heart and soul. It strictly controls every sector in business management. It influences the behavior of every Guangdong GSE person. Guangdong GSE Elevator takes core competitive power of humane experience, safe travel, products' life cycle management. It is based upon innovative and superior service. Intellectual manufacture integrates elevator and main parts into one. It develops smoothly and steadily towards the orientation of "Guangdong GSE Elevator Industry Cluster".



- 现代化综合型电梯服务制造商  
Modern & comprehensive elevator service manufacturer

- 国家高新技术企业，广东省工程技术中心  
It is among the first group in China that gets "Special Equipment A1-Class Manufacture License & Qualification"

- EWC、CE、德国 TÜV 认证企业  
EWC, CE, German TÜV Certification Enterprise

- 国内首批获得特种设备 **A1** 级制造许可资质企业  
National High & New Tech Enterprise, Guangdong Engineering Technology Center



# 舒适节能 出众表现

Comfortable, energy-saving,  
Outstanding performance

## 永磁同步无齿轮曳引系统

Permanent magnet synchronous and  
gear-less traction machine

采用新一代永磁同步无齿轮曳引机，高精度密封轴承，动力强劲，能耗降低，运行成本减少，可与数字变频技术和群组电脑组合控制技术充分融合。

It applies new generation permanent magnet synchronous and gear-less traction machine with fierce motive power of high precision sealed bearing. It reduces both energy consumption and running cost. It can fully combine with digital variable-frequency technology and group-computer combined control technology.




## VVVF变压变频调速系统

VVVF variable voltage and variable frequency  
speed governor system

VVVF变压变频调速系统确保电梯运行中的完美加速/减速曲线和层站间的合理行驶时间，使平层精度更为准确。

The VVVF variable voltage and frequency conversion speed regulation system ensures a perfect acceleration/deceleration curve during elevator operation and a reasonable travel time between landings, making the leveling accuracy more accurate.



## 新型减震装置

New shock-absorbing device

采用新型减震装置，有效降低制动器在工作中的噪音和振动，乘梯过程更为宁静舒适。

It applies new shock-absorbing device to effectively reduce the brake noise and vibration during the operation. It brings about the more cozy and peaceful travel process.



## 能量回馈系统(选配)

Energy feedback system (optional)

基于双PWM控制技术的能量回馈系统，将电梯运行中的势能转化为电能回馈电网，使电梯变为“绿色发电机”，实现能源再生利用。

Energy feedback system is based upon double-PWM control technology. It converts the potential energy in elevator running into electric energy to feed back the power grid. It changes elevator into green power-generator. It thus re-utilizes the energy.




## 轿厢空气净化系统 (选配)

Car air purifying system (optional)

双重高效净化技术，将新鲜空气净化后引入轿厢，有效过滤PM2.5雾霾颗粒，营造一个健康清新的乘梯环境。

Double effective purifying technology leads the purified fresh-air into the car. It effectively filters PM2.5 smog particles. It creates a healthy and refreshing travel environment.



# 小机房乘客电梯

## Small machine room passenger elevator

与传统电梯相比，小机房电梯结构更紧凑，轻盈小巧，安装方便，维护便捷，其集约化的空间效果，降低建筑成本，节约能源。

Compared with traditional elevators, small machine room elevators are more compact, light and small, easy to install, and convenient to maintain. Its intensive space effect reduces construction costs and saves energy.

## 高端品质，自由拓展

High-end quality, free exploration

30%



### 节约机房面积30%

It saves 30% of machine room area

节约建筑面积，提高设计自由度；紧凑型无齿轮曳引机的应用为机房留出了更大的空间。

It saves the building area and enhances the design freedom. It applies compact gear-less traction machine to leave a bigger space for machine room.




### 高效的安装效率

Effective installation efficiency

小机房电梯有助于提高工程效率，且紧凑型主机对于初装或者更新改造等后期更换，都非常轻松方便。

Small machine room elevator helps to enhance the engineering efficiency. Compact host is convenient for primary installation or later renewal etc.





# 无机房乘客电梯

Machine roomless  
passenger elevator

## 释放空间，无限可能

Space-releasing gives infinite possibilities

- > 井道优化设计，有效节约建筑面积10%；
  - > 绿色驱动与节能装置，实现约30%的节能效果；
  - > 无机房设计，使建筑设计更自由，更轻松。
- > Optimized well design effectively saves 10% the building area  
> Green drive and energy-saving device save about 30% of energy  
> Machine room-less design brings about a freer and more relaxing building design.



# 乘客电梯轿厢装潢(标配)

## — 现代轻奢系列

Passenger elevator car decoration (standard)  
— modern light-deluxe series



### GSE-2020-P01

|    |                                                   |
|----|---------------------------------------------------|
| 吊顶 | 型号: GSE-C03<br>装潢: 发纹不锈钢+LED筒灯+亚克力灯饰              |
| 轿壁 | 前壁: 发纹不锈钢<br>侧壁: 发纹不锈钢+镜面不锈钢<br>后壁: 镜面不锈钢+发纹蚀刻不锈钢 |
| 扶手 | GSE-H-008A 发纹圆扶手                                  |
| 地板 | PVC: GSE-F04                                      |

|          |                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-C03<br>Decorate: Hairline St.St.+LED down lamp<br>+acrylic decoration                                              |
| Cabin    | Front wall: Hairline St.St.<br>Side wall: Hairline St.St. + Mirror St.St.<br>Back wall: Mirror St.St.+ Hairline etched St.St. |
| Handrail | GSE-H-008A Hairline round handrail                                                                                            |
| Floor    | PVC: GSE-F04                                                                                                                  |



扫描查看  
720°全景展示



## GSE-2020-P02

|    |                                                   |
|----|---------------------------------------------------|
| 吊顶 | 型号: GSE-C03<br>装潢: 发纹不锈钢+LED筒灯+亚克力灯饰              |
| 轿壁 | 前壁: 发纹不锈钢<br>侧壁: 镜面不锈钢+发纹不锈钢<br>后壁: 发纹不锈钢+镜面蚀刻不锈钢 |
| 扶手 | GSE-H-004A 发纹扁扶手                                  |
| 地板 | PVC: GSE-F04                                      |

|          |                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-C03<br>Decorate: Hairline St.St.+LED down lamp<br>+acrylicd decoration                                             |
| Cabin    | Front wall: Hairline St.St.<br>Side wall: Mirror St.St.+ Hairline St.St.<br>Back wall: Hairline St.St. + Mirror etched St.St. |
| Handrail | GSE-H-004A Hairline flat handrail                                                                                             |
| Floor    | PVC: GSE-F04                                                                                                                  |



扫描查看  
720°全景展示



## GSE-2020-P03

|    |                                                     |
|----|-----------------------------------------------------|
| 吊顶 | 型号: GSE-C03<br>装潢: 发纹不锈钢+LED筒灯+亚克力灯饰                |
| 轿壁 | 前壁: 镜面不锈钢<br>侧壁: 镜面不锈钢+镜面蚀刻不锈钢<br>后壁: 镜面不锈钢+镜面蚀刻不锈钢 |
| 扶手 | 无                                                   |
| 地板 | PVC: GSE-F04                                        |

|          |                                                                                                                             |
|----------|-----------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-C03<br>Decorate: Hairline St.St.+LED down lamp<br>+acrylicd decoration                                           |
| Cabin    | Front wall: Mirror St.St.<br>Side wall: Mirror St.St.+Mirror etched St.St.<br>Back wall: Mirror St.St.+Mirror etched St.St. |
| Handrail | None                                                                                                                        |
| Floor    | PVC: GSE-F04                                                                                                                |



扫描查看  
720°全景展示

# 乘客电梯轿厢装潢(选配)

## — 雅韵天成系列

Passenger elevator car decoration (optional)

— Natural charm series



### GSE-2020-P04

|          |                                                                                                                                                                                                     |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 吊顶       | 型号: GSE-C04<br>装潢: 发纹不锈钢+LED筒灯+圆形吸顶灯                                                                                                                                                                |
| 轿壁       | 前壁: 发纹不锈钢<br>侧壁: 发纹不锈钢+仿木纹彩饰板 (MW01)<br>后壁: 发纹不锈钢+仿木纹彩饰板 (MW01)                                                                                                                                     |
| 扶手       | GSE-H-008A 发纹圆扶手                                                                                                                                                                                    |
| 地板       | PVC: GSE-F02                                                                                                                                                                                        |
| Ceiling  | Model:GSE-C04<br>Decorate:Hairline St.St.+LED down lamp<br>+Round ceiling lamp                                                                                                                      |
| Cabin    | Front wall: Hairline St.St.<br>Side wall:Hairline St.St. +Artificial wood-grain<br>color decoration plate(MW01)<br>Back wall:Hairline St.St. +Artificial wood-grain<br>color decoration plate(MW01) |
| Handrail | GSE/H-008A Hairline round handrail                                                                                                                                                                  |
| Floor    | PVC:GSE-F02                                                                                                                                                                                         |



扫描查看  
720°全景展示



## GSE-2020-P05

|    |                         |
|----|-------------------------|
| 吊顶 | 型号: GSE-C05             |
| 装潢 | 装潢: 发纹不锈钢+LED筒灯+方形吸顶灯   |
| 轿壁 | 前壁: 发纹不锈钢               |
|    | 侧壁: 镜面不锈钢+仿木纹彩饰板 (MW02) |
|    | 后壁: 镜面不锈钢+仿木纹彩饰板 (MW02) |
| 扶手 | GSE-H-008A 发纹圆扶手        |
| 地板 | PVC: GSE-F02            |

|          |                                                                                                                                                                                                       |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-C05<br>Decorate: Hairline St.St. + LED down lamp<br>+ Square ceiling lamp                                                                                                                  |
| Cabin    | Front wall: Hairline St.St.<br>Side wall: Mirror St.St. + Artificial wood-grain color<br>decoration plate (MW02)<br>Back wall: Mirror St.St. + Artificial wood-grain color<br>decoration plate (MW02) |
| Handrail | GSE-H-008A Hairline round handrail                                                                                                                                                                    |
| Floor    | PVC: GSE-F02                                                                                                                                                                                          |



扫描查看  
720°全景展示

# 乘客电梯轿厢装潢(选配) — 雅韵天成系列

Passenger elevator car decoration(Optional)  
— Natural charm series



## GSE-2020-P06

|    |                                                                 |
|----|-----------------------------------------------------------------|
| 吊顶 | 型号: GSE-C06<br>装潢: LED筒灯+仿木纹彩饰板 (MW01)                          |
| 轿壁 | 前壁: 镜面不锈钢<br>侧壁: 镜面不锈钢+仿木纹彩饰板 (MW01)<br>后壁: 镜面不锈钢+仿木纹彩饰板 (MW01) |
| 扶手 | 无                                                               |
| 地板 | PVC: GSE-F01                                                    |


---

|          |                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model:GSE-C06<br>Decorate:LED down lamp+Artificial wood-grain color decoration plate(MW01)                                                                                            |
| Cabin    | Front wall: Mirror St.St.<br>Side wall:Mirror St.St.+Artificial wood-grain color decoration plate(MW01)<br>Back wall:Mirror St.St.+Artificial wood-grain color decoration plate(MW01) |
| Handrail | None                                                                                                                                                                                  |
| Floor    | PVC:GSE-F01                                                                                                                                                                           |

---



扫描查看  
720°全景展示



## GSE-2020-P07

|    |                                                                   |
|----|-------------------------------------------------------------------|
| 吊顶 | 型号: GSE-C07<br>装潢: 镜面不锈钢框架+LED筒灯+亚克力灯饰                            |
| 轿壁 | 前壁: 发纹不锈钢<br>侧壁: 镜面不锈钢+仿木纹彩饰板 (MW01)<br>后壁: 镜面蚀刻不锈钢+仿木纹彩饰板 (MW01) |
| 扶手 | GSE-H-002A 有机玻璃圆扶手                                                |
| 地板 | PVC: GSE-F01                                                      |

|          |                                                                                                                                                                                                      |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model:GSE-C07<br>Decorate:Mirror St.St. frame+LED down lamp<br>+acrylicd decoration                                                                                                                  |
| Cabin    | Front wall: Hairline St.St.<br>Side wall:Mirror St.St.+Artificial wood-grain color<br>decoration plate(MW01)<br>Back wall:Mirror etched St.St.+Artificial<br>wood-grain color decoration plate(MW01) |
| Handrail | GSE/H-002A Organic glass round handrail                                                                                                                                                              |
| Floor    | PVC:GSE-F01                                                                                                                                                                                          |



扫描查看  
720°全景展示



## GSE-2020-P08

|    |                                                                          |
|----|--------------------------------------------------------------------------|
| 吊顶 | 型号: GSE-C08<br>装潢: 香槟金镜面不锈钢+LED筒灯+亚克力灯饰                                  |
| 轿壁 | 前壁: 香槟金发纹不锈钢<br>侧壁: 香槟金镜面不锈钢+仿木纹彩饰板 (MW01)<br>后壁: 香槟金镜面不锈钢+仿木纹彩饰板 (MW01) |
| 扶手 | 无                                                                        |
| 地板 | PVC: GSE-F01                                                             |

|          |                                                                                                                                                                                                                                                  |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model:GSE-C08<br>Decorate:Champagne gold mirror St.St.<br>+LED down lamp+acrylicd decoration                                                                                                                                                     |
| Cabin    | Front wall: Champagne gold hairline St.St.<br>Side wall:Champagne gold hairline St.St.<br>+Artificial wood-grain color decoration plate(MW01)<br>Back wall:Champagne gold hairline St.St.<br>+Artificial wood-grain color decoration plate(MW01) |
| Handrail | None                                                                                                                                                                                                                                             |
| Floor    | PVC:GSE-F01                                                                                                                                                                                                                                      |



扫描查看  
720°全景展示

# 乘客电梯轿厢装潢(选配)

## — 华丽至尊系列

Passenger elevator car decoration (optional)  
— Superb marvel series



### GSE-2020-P09

|    |                                                               |
|----|---------------------------------------------------------------|
| 吊顶 | 型号: GSE-C07<br>装潢: 钛金发纹不锈钢框架+LED筒灯+亚克力灯饰                      |
| 轿壁 | 前壁: 钛金发纹不锈钢<br>侧壁: 钛金发纹不锈钢+钛金蚀刻镜面不锈钢<br>后壁: 钛金发纹不锈钢+钛金蚀刻镜面不锈钢 |
| 扶手 | 无                                                             |
| 地板 | PVC: GSE-F02                                                  |

|          |                                                                                                                                                                                                             |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model:GSE-C07<br>Decorate:Titanium gold hairline St.St. frame+<br>LED down lamp+acrylicd decoration                                                                                                         |
| Cabin    | Front wall: Titanium gold hairline St.St.<br>Side wall:Titanium gold hairline St.St.+Titanium gold<br>eathed mirror St.St.<br>Back wall:Titanium gold hairline St.St.+Titanium gold<br>eathed mirror St.St. |
| Handrail | None                                                                                                                                                                                                        |
| Floor    | PVC:GSE-F02                                                                                                                                                                                                 |



扫描查看  
720°全景展示



## GSE-2020-P10

|    |                                                             |
|----|-------------------------------------------------------------|
| 吊顶 | 型号: GSE-C08<br>装潢: 古铜镜面不锈钢框架+LED筒灯+亚克力灯饰                    |
| 轿壁 | 前壁: 古铜发纹不锈钢<br>侧壁: 古铜发纹不锈钢+古铜镜面不锈钢<br>后壁: 古铜镜面不锈钢+古铜蚀刻镜面不锈钢 |
| 扶手 | GSE-H-007A 椭圆木扶手                                            |
| 地板 | PVC: GSE-F02                                                |

|          |                                                                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-C08<br>Decorate: Bronze mirror St.St. frame+LED down lamp<br>+acrylic decoration                                                                    |
| Cabin    | Front wall: Bronze hairline St.St.<br>Side wall: Bronze hairline St.St.+Bronze mirror St.St.<br>Back wall: Bronze mirror St.St.+Bronze<br>etched mirror St.St. |
| Handrail | GSE-H-007A Oval wooden handrail                                                                                                                                |
| Floor    | PVC: GSE-F02                                                                                                                                                   |



扫描查看  
720°全景展示



## GSE-2020-P11

|    |                                                               |
|----|---------------------------------------------------------------|
| 吊顶 | 型号: GSE-C08<br>装潢: 黑钛镜面不锈钢+LED筒灯+亚克力灯饰                        |
| 轿壁 | 前壁: 黑钛镜面不锈钢<br>侧壁: 黑钛镜面不锈钢+镜面不锈钢局部喷砂<br>后壁: 黑钛镜面不锈钢+镜面不锈钢局部喷砂 |
| 扶手 | 无                                                             |
| 地板 | PVC: GSE-F04                                                  |

|          |                                                                                                                                                                                                            |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-C08<br>Decorate: Black titanium mirror St.St.<br>+LED down lamp+acrylic decoration                                                                                                              |
| Cabin    | Front wall: Black titanium mirror St.St.<br>Side wall: Black titanium mirror St.St.+Partial<br>sand-blasted mirror St.St.<br>Back wall: Black titanium mirror St.St.+Partial<br>sand-blasted mirror St.St. |
| Handrail | None                                                                                                                                                                                                       |
| Floor    | PVC: GSE-F04                                                                                                                                                                                               |



扫描查看  
720°全景展示

# 观光电梯


Observation elevator

## 玻璃钢结构


Fiberglass-reinforced plastic structure

展现整体紧凑、完美空间，更有半圆型、方形、菱形等多种轿厢款型，满足不同的土建设计与艺术审美。


It shows a compact and perfect space. Half-round, square, diamond car models etc. are available for your free selection. It satisfies different construction designs and aesthetics.



半圆型  
Semi-circular shaped



方型  
Square



菱型  
Cutting-angle-type



## 享受超然移动风景

Enjoy super-moving scenes

广东铃木观光电梯，融合创新产品设计理念，集永磁同步曳引技术、矢量全数字化驱动技术、模块化设计等先进科技于一体，产品更为安全、舒适、节能、高效。紧凑的布置结构，有效节省建筑空间与成本，赋予建筑物个性与活力，平添一道流动的靓丽风景线。广泛适用于住宅楼、商务办公楼、酒店、商场等公共建筑。

Guangdong GSE observation elevator combines with innovative product design concept. It integrates permanent magnet synchronous traction technology, vector all-digital drive technology, modular design etc. into one. It brings about the more cozy, secure, efficient, compact, energy-saving product layout structure. It effectively saves the building space and cost. Buildings are richly endowed with individual vigor. It adds a charming flowing sight-line. It is widely applicable for residential building, commercial office building, hotel, shopping center etc.



# 观光电梯 轿厢装潢

Observation elevator  
car decoration

## GSE-2020-S01

选配 Optional

上下罩：钢板喷塑+亚克力透光板

吊顶型号：GSE-C03

装潢：发纹不锈钢+LED筒灯+亚克力灯饰

观光壁：发纹不锈钢+观光玻璃

轿壁前壁：发纹不锈钢

侧壁：发纹不锈钢

扶手：GSE/H-11A 三面发纹圆扶手

地板：PVC (GSE-F01)

Upper and lower cover: Steel-plate powder-coated  
+ acrylic light-emitting panel

Ceiling model: GSE-C03

Decorate: Hairline St.St.+LED down lamp  
+acrylicd decoration

Observation wall: Hairline St.St.+Observation glass

Car Front wall: Hairline st.st.

Car Side wall: Hairline st.st.

Handrail: GSE/H-11A Three-side  
hairline round handrail

Floor: PVC(GSE-F01)



## GSE-2020-S02

选配 Optional

上下罩：钢板喷塑+亚克力透光板

吊顶型号：GSE-C07

装潢：镜面不锈钢+LED筒灯+亚克力灯饰

观光壁：观光玻璃

轿壁前壁：发纹不锈钢

侧壁：发纹不锈钢+观光玻璃

扶手：GSE/H-11A 三面发纹圆扶手

地板：PVC（GSE-F01）

Upper and lower cover: Steel-plate powder-coated  
+ acrylic light-emitting panel

Ceiling model: GSE-C07

Decorate: Mirror St.St. +LED down lamp  
+acrylicd decoration

Observation wall: Observation glass

Car front wall: Hairline st.st.

Car side wall: Hairline st.st.+Observation glass

Handrail: GSE/H-11A Three-side

hairline round handrail

Floor: PVC(GSE-F01)



## GSE-2020-S03

选配 Optional

上下罩：钢板喷塑+亚克力透光板

吊顶型号：GSE-C03

装潢：发纹不锈钢+LED筒灯+亚克力灯饰

观光壁：观光玻璃

轿壁前壁：发纹不锈钢

侧壁：发纹不锈钢+观光玻璃

扶手：GSE/H-11A 三面发纹圆扶手

地板：PVC（GSE-F01）

Upper and lower cover: Steel-plate powder-coated  
+ acrylic light-emitting panel

Ceiling model: GSE-C03

Decorate: Hairline St.St. +LED down lamp  
+acrylicd decoration

Observation wall: Observation glass

Car front wall: Hairline st.st.

Car side wall: Hairline st.st.+Observation glass

Handrail: GSE/H-11A Three-side

hairline round handrail

Floor: PVC(GSE-F01)



# 观光电梯 轿厢装潢

Observation elevator  
car decoration

## GSE-2020-S04

选配 Optional

上下罩：钛金发纹不锈钢+LED筒灯+亚克力灯饰  
吊顶型号：GSE-C09

装潢：钛金发纹不锈钢+LED灯饰

观光壁：钛金发纹不锈钢+观光玻璃

轿壁前壁：钛金发纹不锈钢

侧壁：钛金发纹不锈钢+观光玻璃

扶手：GSE/H-11A 三面钛金发纹圆扶手

地板：PVC（GSE-F05）

Upper and lower cover: Titanium gold hairline St.St.  
+LED down lamp+acrylicd decoration

Ceiling model: GSE-C09

Decorate: Titanium gold hairline St.St.  
+LED decoration

Observation wall: Titanium gold hairline St.St.  
+Observation glass

Car front wall: Titanium gold hairline St.St.

Car side wall: Titanium gold hairline St.St.

+Observation glass

Handrail: GSE/H-11A Three-side titanium gold  
hairline round handrail

Floor: PVC(GSE-F05)



## GSE-2020-S05

选配 Optional

上下罩：钢板喷塑+钛金镜面不锈钢装饰+LED灯饰

吊顶型号：GSE-C10

装潢：钛金发纹不锈钢+LED灯饰

观光壁：钛金发纹不锈钢+观光玻璃

轿壁前壁：钛金发纹不锈钢

侧壁：钛金发纹不锈钢+观光玻璃

扶手：GSE/H-11A 三面钛金圆扶手

地板：PVC (GSE-F01)

Upper and lower cover: Steel-plate powder-coated  
+Titanium mirror St.St. decoration+LED decoration

Ceiling model: GSE-C10

Decorate: Titanium gold hairline St.St.  
+LED decoration

Observation wall: Titanium gold hairline St.St.  
+Observation glass

Car front wall: Titanium gold hairline St.St.

Car side wall: Titanium gold hairline St.St.

+Observation glass

Handrail: GSE/H-11A Three-side titanium gold  
hairline round handrail

Floor: PVC(GSE-F01)



## GSE-2020-S06

选配 Optional

上下罩：钛金发纹蚀刻不锈钢

吊顶型号：GSE-C11

装潢：钛金发纹不锈钢框架+LED筒灯+亚克力灯饰

观光壁：钛金镜面不锈钢+观光玻璃

轿壁前壁：钛金镜面不锈钢

侧壁：钛金镜面蚀刻不锈钢+观光玻璃

扶手：GSE/H-11A 钛金发纹圆扶手

地板：PVC (GSE-F04)

Upper and lower cover: Titanium gold hairline eathed St.St.

Ceiling model: GSE-C11

Decorate: Titanium gold hairline St.St.frame  
+LED down lamp+acrylicd decoration

Observation wall: Titanium gold mirror St.St.  
+Observation glass

Car front wall: Titanium gold mirror St.St.

Car side wall: Titanium gold mirror eathed St.St.

+Observation glass

Handrail: GSE/H-11A Titanium gold  
hairline round handrail

Floor: PVC(GSE-F04)



# 医用电梯

## Hospital elevator

广东铃木病床电梯，细节之处尽显关怀，秉承“人本”理念，融入人性化设计，充分优化轿厢结构，明亮柔和内饰，为乘客营造温馨舒适的轿厢空间，提供宁静、平稳的乘坐享受。


广东铃木担架电梯采用先进技术，轿厢宽敞、运行平稳、设计合理、安装方便，可容纳医用担架，用于紧急就医通道，为生命争取更多时间。

Guangdong GSE hospital elevator cares every detail. It follows human-centered ideas. It combines with human-centered design. It fully optimizes car structure, soft and bright inner decoration. It creates a sweet and comfortable car space for vast passengers. It also offers the smooth and peaceful travel enjoyment.

Guangdong GSE stretcher elevator applies the advanced technology with broad car, smooth travel, rational design, convenient installation. It can hold hospital stretcher. It is used for emergency rescue channel. It allows more and more time for rescuing human lives.

## 多种开门方式

Multiple door opening modes



中分式  
Center opening type



旁开式  
Side opening type



贯通门  
Opposite door

## 无障碍操纵箱

### Obstacle-free operation box

人性化安装高度，方便残疾人士自由出入电梯；嵌入式安装，节省轿厢空间，避免刮碰伤害；高识别度盲文按钮，方便弱视者使用；更有延时开关门功能（选配），可延长乘客进出电梯时的开门状态。

Human-centered installation height is convenient for the disabled to freely enter into / exit from the elevator. Embedded installation saves the car space. It avoids any collision injury. High-recognition braille buttons are convenient to use by the amblyope. Furthermore, optional time-delay opening / closing function can prolong the opening condition when passengers enter into / exit from the elevators.



无障碍操纵箱  
Barrier free operation box

## IONFUL空气净化系统(选配)

### Ionful air purification system (optional)

应用先进的净离子群技术，离子群空气净化器装置(IONFUL)配备于电梯，可以强效分解空气中的浮游霉菌、祛除空气中浮游的病毒及过敏性物质并可以提取异味物质中的氢元素，分解异味成分。

It applies the advanced plasma-cluster technology, IONFUL in the elevator. It can effectively resolve the floating mildew / virus, allergic substances in the air. It can extract hydrogen from odorous substances, resolve any odorous composition.

## 空气杀菌装置（选配）

### Air sterilizing device (optional)

为应对医用电梯复杂的使用环境与群体，装配电梯空气消毒净化机。通过生物识别技术，乘客一进入电梯立即开启工作模式，当乘客离开电梯，延迟关机模式可持续消毒，确保下次使用前电梯处于已消毒状态。

全封闭设计无紫外线泄露，病毒细菌灭杀率超 99%，最大化避免呼吸性传染病在轿厢内传播，保障每一位乘客搭乘电梯时的呼吸安全。

In order to adapt to complex use environments and passengers in hospital elevator, it installs air sterilizing and purifying machine. Through biometric technology, it immediately starts the work-mode as soon as passengers enter into the elevator. When passengers leave the elevator, it delays the shut-off mode for sustainable sterilization. It ensures a sterilized elevator for next use. Fully enclosed design has no UV-ray leakage with over 99% of sterilizing rate. It prevents respiratory infectious diseases from spreading in the car to maximum extent. It ensures safe breath of every passenger.



# 医用电梯轿厢装潢

Hospital elevator car decoration



## GSE-2020-B01

标配 Standard

|    |                                           |
|----|-------------------------------------------|
| 吊顶 | 型号: GSE-BC01<br>装潢: 发纹不锈钢+LED筒灯<br>+亚克力灯饰 |
| 轿壁 | 前壁: 发纹不锈钢<br>侧壁: 发纹不锈钢<br>后壁: 发纹不锈钢       |
| 扶手 | GSE-H-004A 发纹扁扶手                          |
| 地板 | PVC: GSE-F01                              |

|          |                                                                                         |
|----------|-----------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-BC01<br>Decorate: Hairline St.St.<br>+LED down lamp<br>+acrylic decoration   |
| Cabin    | Front wall: Hairline St.St.<br>Side wall: Hairline St.St.<br>Back wall: Hairline St.St. |
| Handrail | GSE-H-004A Hairline flat handrail                                                       |
| Floor    | PVC: GSE-F01                                                                            |



扫描查看  
720°全景展示



## GSE-2020-B02

### 选配 Optional

|    |                                           |
|----|-------------------------------------------|
| 吊顶 | 型号: GSE-BC02<br>装潢: 发纹不锈钢+LED筒灯<br>+亚克力灯饰 |
| 轿壁 | 前壁: 发纹不锈钢<br>侧壁: 发纹不锈钢<br>后壁: 发纹不锈钢+镜面不锈钢 |
| 扶手 | GSE-H-008A 发纹圆扶手                          |
| 地板 | PVC: GSE-F01                              |

|          |                                                                                                       |
|----------|-------------------------------------------------------------------------------------------------------|
| Ceiling  | Model: GSE-BC02<br>Decorate: Hairline St.St.<br>+LED down lamp<br>+acrylic decoration                 |
| Cabin    | Front wall: Hairline St.St.<br>Side wall: Hairline St.St.<br>Back wall: Hairline St.St.+Mirror St.St. |
| Handrail | GSE-H-008A Hairline round handrail                                                                    |
| Floor    | PVC: GSE-F01                                                                                          |



扫描查看  
720°全景展示

# 人机界面

Man-machine interface

## COP-332 (标配 standard)

分体式操纵箱

材质: 发纹不锈钢, 黑色亚克力

显示: 单色液晶

Detached operation box

Material: Hairline St.St., black acrylic

Display: Single-color liquid crystal

无底盒外呼

显示: 单色液晶

Outer calling without bottom box

Display: Single-color liquid crystal

## HOP-332

## HOP-009



## 一体式操纵箱 Integrated operation box

按钮  
Button



AN321 白光 (标配)  
AN321 white (standard)



NL-R38E 蓝光 (标配)  
NL-R38E blue (standard)



NL-R38E 白光 (选配)  
NL-R38E white (optional)

## 分体式操纵箱/外召盒（选配）

Detached operation box/Out calling box(optional)



### GSE-XC001A

材质：黑钛镜面不锈钢

显示：单色液晶

Material:Black titanium mirror St.St.

Display:Single-color liquid crystal

### HOP-XC001A



有底盒外呼

显示：单色液晶

Outer calling with bottom box

Display:Single-color liquid crystal



### GSE-XC002A

材质：镜面不锈钢，黑色亚克力

显示：单色液晶

Material:Mirror St.St., black acrylic

Display:Single-color liquid crystal

### HOP-XC002A




有底盒外呼

显示：单色液晶

Outer calling with bottom box

Display:Single-color liquid crystal



### GSE-XC003A

材质：玫瑰金镜面不锈钢

显示：7寸图片机（竖显）

Material:Rose gold mirror St.St.

Display:7-inch picture machine (vertical display)

### HOP-XC003A



有底盒外呼

显示：单色液晶

Outer calling with bottom box

Display:Single-color liquid crystal

## 多媒体信息系统

Multimedia Information system



### 6.4寸单色液晶显示(标配)

6.4-inch single-color liquid crystal display (standard)



### 7寸真彩图片机显示(选配)

7-inch picture machine display (optional)



### 10.4寸多媒体液晶显示(选配)

10.4-inch multi-media liquid crystal display (optional)



### 12.1寸多媒体液晶显示(选配)

10.4-inch multi-media liquid crystal display (optional)


# 厅门系列

Landing door series



**GSE-T-001A**

纯发纹/纯镜面不锈钢  
Hairline/Mirror St. St.



**GSE-T-05**

钛金镜面蚀刻不锈钢  
Titanium mirror etched St. St.


**GSE-T-02**

镜面蚀刻不锈钢  
Mirror etched St. St.


**GSE-T-03**

镜面蚀刻不锈钢  
Mirror etched St. St.


**GSE-T-04**

镜面蚀刻不锈钢  
Mirror etched St. St.


**GSE-T-06**

玫瑰金镜面蚀刻不锈钢  
Rose gold mirror etched St. St.


**GSE-T-07**

古铜发纹蚀刻不锈钢  
Bronze hairline etched St. St.


**GSE-T-08**

发纹/镜面不锈钢+观光玻璃  
Hairline/Mirror St. St.+Observation glass

# 扶手系列

## Handrail series



### GSE/H-008A(标配)

发纹圆扶手  
Hairline round handrail(Standard)



### GSE/H-002A

有机玻璃圆扶手  
Organic glass round handrail



### GSE/H-002B

中间镜面两头钛金组合扶手(不锈钢)  
Central mirror two-head titanium combined handrail (St St)



### GSE/H-007A

椭圆木扶手  
Oval wooden handrail



### GSE/H-009A

圆木扶手  
Round wood handrail




### GSE/H-004A(标配)

发纹扁扶手  
Hairline flat armrest(Standard)




### GSE/H-004B

发纹扁扶手(钛金)  
Hairline flat armrest (titanium)



### GSE/H-010A

喷砂镜面组合扶手  
Sand-blasted mirror combined handrail



### GSE/H-010B

喷砂镜面组合扶手(钛金)  
Sand-blasted mirror combined handrail(titanium)



### GSE/H-003B

三管发纹圆扶手(钛金)  
Triple-tube hairline round handrail (titanium)

# PVC地板系列

PVC Floor series




**GSE-F01**



**GSE-F02**



**GSE-F03**



**GSE-F04**



**GSE-F05**



**GSE-F06**

# 电梯功能配置

## Elevator function configuration

标准功能 Standard

|    |                                                   |    |                                                         |
|----|---------------------------------------------------|----|---------------------------------------------------------|
| 1  | 全集选控制<br>Collective selective                     | 20 | 超载保护<br>Overload protection                             |
| 2  | 检修运行<br>Inspection running                        | 21 | 逆向运行保护<br>Reverse running protection                    |
| 3  | 测试运行<br>Test running                              | 22 | 防打滑保护<br>Anti-sliding protection                        |
| 4  | 时钟控制<br>Time control                              | 23 | 极限开关保护<br>Limit switch protection                       |
| 5  | 保持开门时间的自动控制<br>Auto control for door holding time | 24 | 消防迫降功能<br>Forced landing function                       |
| 6  | 换站停靠<br>Stop at other floor                       | 25 | 安全接触器触点检测保护<br>Safety relay touch inspection protection |
| 7  | 错误指令取消<br>Cancel wrong commands                   | 26 | 主回路故障保护<br>Main circuit fault protection                |
| 8  | 满载直驶<br>Full load straight drive                  | 27 | 超速保护<br>Overspeed protection                            |
| 9  | 自动返基站<br>Auto return to ground floor              | 28 | 低速保护<br>Low speed protection                            |
| 10 | 重复关门<br>Repeat close door                         | 29 | 平层开关故障保护<br>Leveling switch fault protection            |
| 11 | 故障历史记录<br>Fault history record                    | 30 | CAN通讯故障保护<br>CAN communication fault protection         |
| 12 | 井道层楼数据自学习<br>Shaft self-learning                  | 31 | 紧急电动运行<br>Emergency electric operation                  |
| 13 | 层楼显示字符设置<br>Floor No. display setting             | 32 | 抱闸开关触点检测保护<br>Brake switch touch inspection protection  |
| 14 | 司机操作<br>Attendant operation                       | 33 | 井道自学习失败诊断<br>Shaft self-study diagnosis                 |
| 15 | 独立运行<br>Independent running                       | 34 | 门开关故障保护<br>Door switch fault protection                 |
| 16 | 滚动显示运行方向<br>Running direction in rolling display  | 35 | 运行中门锁断开保护<br>Door lock broken protection when running   |
| 17 | 自动修正层楼位置信号<br>Self-correcting floor signal        | 36 | 轿厢意外移动保护<br>Car accidental movement protection          |
| 18 | 锁梯服务<br>Lock elevator                             | 37 | 门锁短接保护功能<br>Door lock short circuit protection function |
| 19 | 门光幕保护<br>Light curtain protection                 | 38 | 门旁路功能<br>Door bypass function                           |

### 选配功能 Optional


|   |                                                            |    |                                                                |
|---|------------------------------------------------------------|----|----------------------------------------------------------------|
| 1 | 副操纵箱操作<br>Auxiliary operation panel                        | 8  | 厅外到站钟<br>Arrival gong in landing hall                          |
| 2 | 并联运行<br>Duplex running                                     | 9  | 开关控制群控梯服务层切换<br>Switch control of group elevator service floor |
| 3 | 群控运行<br>Group control                                      | 10 | Vip贵宾层服务<br>VIP service                                        |
| 4 | 分散待梯<br>Distribute elevator for different waiting position | 11 | 停电应急平层<br>Auto rescue device                                   |
| 5 | 小区监控<br>Residential district monitor                       | 12 | 语音报站功能<br>Voice announcement function                          |
| 6 | 小程序呼梯<br>Mini program call                                 | 13 | 开门保持按钮操作功能<br>Door open holding function                       |
| 7 | 厅外到站预报灯<br>Arrival light in landing area                   |    |                                                                |

### 物联网功能(选配) Internet function (Optional)

|   |                                            |   |                                               |
|---|--------------------------------------------|---|-----------------------------------------------|
| 1 | 故障状态监测<br>Fault condition monitoring       | 3 | 维保信息采集<br>Maintenance information collection  |
| 2 | 实时运行数据显示<br>Real time running data display | 4 | 历史保障记录查询<br>Historical guarantee record query |

# GSE/P小机房乘客电梯井道布置图

GSE/P small machine room passenger elevator well arrangement diagram




## GSE/P小机房乘客电梯技术参数 GSE/P small machine room passenger elevator technical parameters

| 载重量(kg)<br>Capacity(kg) | 承载人数<br>Passenger capacity | 速度(m/s)<br>Speed             | 轿厢净尺寸<br>(宽x深x高,mm)<br>Net car size<br>(CWxCHxHH,mm) | 净开门<br>(宽x高,mm)<br>Net opening<br>(OPxOPH,mm) | 井道净尺寸<br>(宽x深,mm)<br>Net well size<br>(HWxHD,mm) | 顶层高度<br>OH(mm)                     | 底坑深度<br>PT(mm)                     | 额定功率<br>Rated Power(kw)          |
|-------------------------|----------------------------|------------------------------|------------------------------------------------------|-----------------------------------------------|--------------------------------------------------|------------------------------------|------------------------------------|----------------------------------|
| 450                     | 6                          | 1.0/1.5/1.75                 | 1150x1100x2350                                       | 中分700x2100                                    | 1700x1700                                        | 4500/4600/4700                     | 1500/1600/1700                     | 3.0/4.8/5.3                      |
| 630                     | 8                          | 1.0/1.5/1.75                 | 1400x1100x2350                                       | 中分800x2100                                    | 1900x1700                                        | 4500/4600/4700                     | 1500/1600/1700                     | 4.0/6.4/7.0                      |
| 825                     | 11                         | 1.0/1.5/1.75/2.0/2.5         | 1400x1350x2350                                       | 中分800x2100                                    | 2000x2000                                        | 4500/4600/4700/4900/5000           | 1500/1600/1700/1800/1900           | 5.5/8.7/9.5/10.9/13.6            |
| 1050                    | 14                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1600x1500x2350                                       | 中分900x2100                                    | 2100x2200                                        | 4500/4600/4700/4900/5000/5200      | 1500/1600/1700/1800/1900/2500      | 6.8/10.9/11.9/13.6/17.4          |
| 1150                    | 15                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1700x1500x2350                                       | 中分1000x2100                                   | 2300x2200                                        | 4500/4600/4700/4900/5000/5200      | 1500/1600/1700/1800/1900/2500      | 7.8/12.5/13.7/15.6/21.7          |
| 1250                    | 16                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1700x1600x2350                                       | 中分1000x2100                                   | 2300x2300                                        | 4500/4600/4700/4900/5000/5200      | 1500/1600/1700/1800/1900/2500      | 8.5/13.6/14.9/18.4/23.4          |
| 1350                    | 18                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1800x1600x2350                                       | 中分1000x2100                                   | 2400x2300                                        | 4500/4600/4700/4900/5000/5200/6200 | 1500/1600/1700/1800/1900/2500/3800 | 9.2/14.7/16/18.9/23.4/28.4/35    |
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 2000x1700x2350                                       | 中分1100x2100                                   | 2600x2400                                        | 4500/4600/4700/4900/5000/5200/6200 | 1500/1600/1700/1800/1900/2500/3800 | 10.9/17.4/19/22.4/27.8/33.1/41.6 |
| 2000                    | 26                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 2200x1800x2350                                       | 中分1200x2100                                   | 2800x2500                                        | 4500/4600/4700/4900/5000/5200/6200 | 1500/1600/1700/1800/1900/2500/3800 | 14/22.1/24.4/28/34.7/42.1/52     |


注：此图仅供选型时参考，如需施工用图，请以技术部设计图纸为准！  
Note: This Figure Is Only For Reference When Choosing Models, Construction Drawings Are Subject To Design Drawings Of Technical Department!

# GSE/MRL无机房乘客电梯井道布置图


## GSE/MRL machine roomless passenger elevator well arrangement diagram



A-A井道纵剖面图  
A-A WELL AND VERTICAL SECTION DIAGRAM



井道平面图  
WELL ROAD PLAN



顶层平面布置图  
TOP-FLOOR PLANAR GRAPH

## GSE/MRL无机房乘客电梯技术参数 GSE/MRL machine roomless passenger elevator technical parameters


| 载重量(kg)<br>Capacity(kg) | 承载人数<br>Passenger capacity | 速度(m/s)<br>Speed     | 轿厢净尺寸<br>(宽x深x高,mm)<br>Net car size<br>(CWxDxCH,mm) | 净开门<br>(宽x高,mm)<br>Net opening<br>(OPxOPH,mm) | 井道净尺寸<br>(宽x深,mm)<br>Net well size<br>(HWxHD,mm) | 顶层高度<br>OH(mm)           | 底坑深度<br>PT(mm)           | 额定功率<br>Rated Power(kw) |
|-------------------------|----------------------------|----------------------|-----------------------------------------------------|-----------------------------------------------|--------------------------------------------------|--------------------------|--------------------------|-------------------------|
| 450                     | 6                          | 1.0/1.5/1.75         | 1150x1100x2350                                      | 中分800x2100                                    | 2000x1700                                        | 4500/4600/4700           | 1600/1700/1800           | 3.0/4.8/5.3             |
| 630                     | 8                          | 1.0/1.5/1.75         | 1300x1200x2350                                      | 中分800x2100                                    | 2100x1700                                        | 4500/4600/4700           | 1600/1700/1800           | 4.0/6.4/7.0             |
| 825                     | 11                         | 1.0/1.5/1.75/2.0     | 1400x1350x2350                                      | 中分800x2100                                    | 2200x2000                                        | 4500/4600/4700/4900      | 1600/1700/1800/2000      | 5.5/8.7/9.5/10.9        |
| 1050                    | 14                         | 1.0/1.5/1.75/2.0     | 1600x1500x2350                                      | 中分900x2100                                    | 2400x2100                                        | 4500/4600/4700/4900      | 1600/1700/1800/2000      | 6.8/10.9/11.9/13.6      |
| 1150                    | 15                         | 1.0/1.5/1.75/2.0/2.5 | 1600x1600x2350                                      | 中分1000x2100                                   | 2400x2200                                        | 4500/4600/4700/4900/5200 | 1600/1700/1800/2000/2200 | 7.8/12.5/13.7/15.6/21.7 |
| 1250                    | 16                         | 1.0/1.5/1.75/2.0/2.5 | 1700x1600x2350                                      | 中分1000x2100                                   | 2600x2200                                        | 4500/4600/4700/4900/5200 | 1600/1700/1800/2000/2200 | 8.5/13.6/14.9/18.4/23.4 |
| 1350                    | 18                         | 1.0/1.5/1.75/2.0/2.5 | 1800x1600x2350                                      | 中分1000x2100                                   | 2700x2200                                        | 4500/4600/4700/4900/5200 | 1600/1700/1800/2000/2200 | 9.2/14.7/16/18.9/23.4   |
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5 | 1800x1900x2350                                      | 中分1100x2100                                   | 2700x2500                                        | 4500/4600/4700/4900/5200 | 1600/1700/1800/2000/2200 | 10.9/17.4/19/22.4/27.8  |

注：此图仅供选型时参考，如需施工用图，请以技术部设计图纸为准！


Note: This Figure Is Only For Reference When Choosing Models, Construction Drawings Are Subject To Design Drawings Of Technical Department!

# GSE/S半圆形观光电梯井道布置图


GSE/S Semicircle sightseeing elevator well arrangement diagram



A-A井道纵剖面图  
A-A WELL AND VERTICAL SECTION DIAGRAM



井道平面图  
WELL ROAD PLAN



机房平面图  
ROOM LAYOUT


## GSE/S半圆形观光电梯技术参数 GSE/S Semicircle sightseeing elevator technical parameters

| 载重量(kg)<br>Capacity(kg) | 承载人数<br>Passenger capacity | 速度(m/s)<br>Speed             | 轿厢净尺寸<br>(宽x深x高,mm)<br>Net car size<br>(CWxCHxCH,mm) | 净开门<br>(宽x高,mm)<br>Net opening<br>(OPxOPH,mm) | 井道净尺寸<br>(宽x深,mm)<br>Net well size<br>(HWxHD,mm) | 顶层高度<br>OH(mm)                     | 底坑深度<br>PT(mm)                     | 额定功率<br>Rated Power(kw)          |
|-------------------------|----------------------------|------------------------------|------------------------------------------------------|-----------------------------------------------|--------------------------------------------------|------------------------------------|------------------------------------|----------------------------------|
| 825                     | 11                         | 1.0/1.5/1.75/2.0/2.5         | 1300x1650x2350                                       | 中分800x2100                                    | 2300x2250                                        | 4500/4600/4700/4900/5000           | 1700/1800/1900/2000/2200           | 5.5/8.7/9.5/10.9/13.6            |
| 1050                    | 14                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1400x1850x2350                                       | 中分900x2100                                    | 2400x2450                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 6.8/10.9/11.9/13.6/17.4          |
| 1150                    | 15                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1400x2000x2350                                       | 中分1000x2100                                   | 2400x2600                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 7.8/12.5/13.7/15.6/21.7          |
| 1250                    | 16                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1500x2000x2350                                       | 中分1000x2100                                   | 2500x2600                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 8.5/13.6/14.9/18.4/23.4          |
| 1350                    | 18                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1600x2100x2350                                       | 中分1000x2100                                   | 2600x2700                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 9.2/14.7/16/18.9/23.4/28.4/35    |
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1700x2250x2350                                       | 中分1100x2100                                   | 2700x2850                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 10.9/17.4/19/22.4/27.8/33.1/41.6 |
| 2000                    | 26                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1800x2400x2350                                       | 中分1200x2100                                   | 2800x3000                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 14/22.1/24.4/28/34.7/42.1/52     |

注：此图仅供选型时参考，如需施工用图，请以技术部设计图纸为准！  
Note: This Figure Is Only For Reference When Choosing Models, Construction Drawings Are Subject To Design Drawings Of Technical Department!

# GSE/S方形观光电梯井道布置图

## GSE/E Square sightseeing elevator well arrangement diagram



## GSE/S方形观光电梯土建参数 GSE/S square sightseeing elevator technical parameters


| 载重量(kg)<br>Capacity(kg) | 承载人数<br>Passenger capacity | 速度(m/s)<br>Speed             | 轿厢净尺寸<br>(宽x深x高,mm)<br>Net car size<br>(CWxCHxCH,mm) | 净开门<br>(宽x高,mm)<br>Net opening<br>(OPxOPH,mm) | 井道净尺寸<br>(宽x深,mm)<br>Net well size<br>(HWxHD,mm) | 顶层高度<br>OH(mm)                     | 底坑深度<br>PT(mm)                     | 额定功率<br>Rated Power(kw)          |
|-------------------------|----------------------------|------------------------------|------------------------------------------------------|-----------------------------------------------|--------------------------------------------------|------------------------------------|------------------------------------|----------------------------------|
| 450                     | 6                          | 1.0/1.5/1.75                 | 1150x1100x2350                                       | 中分800x2100                                    | 2000x1700                                        | 4500/4600/4700                     | 1700/1800/1900                     | 3.0/4.8/5.3                      |
| 630                     | 8                          | 1.0/1.5/1.75                 | 1400x1100x2350                                       | 中分800x2100                                    | 2200x1700                                        | 4500/4600/4700                     | 1700/1800/1900                     | 4.0/6.4/7.0                      |
| 825                     | 11                         | 1.0/1.5/1.75/2.0/2.5         | 1400x1350x2350                                       | 中分800x2100                                    | 2200x1800                                        | 4500/4600/4700/4900/5000           | 1700/1800/1900/2000/2200           | 5.5/8.7/9.5/10.9/13.6            |
| 1050                    | 14                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1600x1500x2350                                       | 中分900x2100                                    | 2400x1900                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 6.8/10.9/11.9/13.6/17.4          |
| 1150                    | 15                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1700x1500x2350                                       | 中分1000x2100                                   | 2600x2000                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 7.8/12.5/13.7/15.6/21.7          |
| 1250                    | 16                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1700x1600x2350                                       | 中分1000x2100                                   | 2600x2100                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 8.5/13.6/14.9/18.4/23.4          |
| 1350                    | 18                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1800x1600x2350                                       | 中分1000x2100                                   | 2700x2100                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 9.2/14.7/16/18.9/23.4/28.4/35    |
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 2000x1700x2350                                       | 中分1100x2100                                   | 2900x2200                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 10.9/17.4/19/22.4/27.8/33.1/41.6 |
| 2000                    | 26                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1900x2100x2350                                       | 中分1200x2100                                   | 2800x2600                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 14/22.1/24.4/28/34.7/42.1/52     |

注：此图仅供选型时参考，如需施工用图，请以技术部设计图纸为准！

Note: This Figure Is Only For Reference When Choosing Models, Construction Drawings Are Subject To Design Drawings Of Technical Department!

GSE/S菱形观光电梯井道布置图

GSE/S Inorganic real plane sightseeing elevator well arrangement diagram




GSE/S菱形观光电梯井道布置图 GSE/S Inorganic real plane sightseeing elevator technical parameters

| 载重量(kg)<br>Capacity(kg) | 承载人数<br>Passenger capacity | 速度(m/s)<br>Speed             | 轿厢净尺寸<br>(宽x深x高,mm)<br>Net car size<br>(CWxCHxCH,mm) | 净开门<br>(宽x高,mm)<br>Net opening<br>(OPxOPH,mm) | 井道净尺寸<br>(宽x深,mm)<br>Net well size<br>(HWxHD,mm) | 顶层高度<br>OH(mm)                     | 底坑深度<br>PT(mm)                     | 额定功率<br>Rated Power(kw)          |
|-------------------------|----------------------------|------------------------------|------------------------------------------------------|-----------------------------------------------|--------------------------------------------------|------------------------------------|------------------------------------|----------------------------------|
| 825                     | 11                         | 1.0/1.5/1.75/2.0/2.5         | 1300x1650x2350                                       | 中分800x2100                                    | 2300x2250                                        | 4500/4600/4700/4900/5000           | 1700/1800/1900/2000/2200           | 5.5/8.7/9.5/10.9/13.6            |
| 1050                    | 14                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1400x1850x2350                                       | 中分900x2100                                    | 2400x2450                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 6.8/10.9/11.9/13.6/17.4          |
| 1150                    | 15                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1400x2000x2350                                       | 中分1000x2100                                   | 2400x2600                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 7.8/12.5/13.7/15.6/21.7          |
| 1250                    | 16                         | 1.0/1.5/1.75/2.0/2.5/3.0     | 1500x2000x2350                                       | 中分1000x2100                                   | 2500x2600                                        | 4500/4600/4700/4900/5000/5500      | 1700/1800/1900/2000/2200/2500      | 8.5/13.6/14.9/18.4/23.4          |
| 1350                    | 18                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1600x2100x2350                                       | 中分1000x2100                                   | 2600x2700                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 9.2/14.7/16/18.9/23.4/28.4/35    |
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1700x2250x2350                                       | 中分1100x2100                                   | 2700x2850                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 10.9/17.4/19/22.4/27.8/33.1/41.6 |
| 2000                    | 26                         | 1.0/1.5/1.75/2.0/2.5/3.0/4.0 | 1800x2400x2350                                       | 中分1200x2100                                   | 2800x3000                                        | 4500/4600/4700/4900/5000/5500/6500 | 1700/1800/1900/2000/2200/2500/3800 | 14/22.1/24.4/28/34.7/42.1/52     |


注：此图仅供选型时参考，如需施工用图，请以技术部设计图纸为准！  
Note: This Figure Is Only For Reference When Choosing Models, Construction Drawings Are Subject To Design Drawings Of Technical Department!

# GSE/B 医用电梯井道布置图

## GSE/B Medical service elevator well arrangement diagram



A-A井道纵剖面图  
A-A WELL AND VERTICAL SECTION DIAGRAM



井道平面图  
WELL ROAD PLAN



机房平面图  
ROOM LAYOUT

## GSE/B医用电梯井道布置图 GSE/S Medical service elevator technical parameters

| 载重量(kg)<br>Capacity(kg) | 承载人数<br>Passenger capacity | 速度(m/s)<br>Speed     | 轿厢净尺寸<br>(宽x深x高,mm)<br>Net car size<br>(CWxDxCH,mm) | 净开门<br>(宽x高,mm)<br>Net opening<br>(OPxOPH,mm) | 井道净尺寸<br>(宽x深,mm)<br>Net well size<br>(HWxD,mm) | 顶层高度<br>OH(mm)           | 底坑深度<br>PT(mm)           | 额定功率<br>Rated Power(kw)      |
|-------------------------|----------------------------|----------------------|-----------------------------------------------------|-----------------------------------------------|-------------------------------------------------|--------------------------|--------------------------|------------------------------|
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5 | 1400x2400x2350                                      | 净开1200x2100                                   | 2500x2900                                       | 4500/4600/4700/4900/5000 | 1600/1700/1800/1900/2000 | 10.9/17.4/19/22.4/27.8       |
| 1600                    | 21                         | 1.0/1.5/1.75/2.0/2.5 | 1400x2400x2350                                      | 中分1100x2100                                   | 2500x2900                                       | 4500/4600/4700/4900/5000 | 1600/1700/1800/1900/2000 | 10.9/17.4/19/22.4/27.8       |
| 2000                    | 26                         | 1.0/1.5/1.75/2.0/2.5 | 1600x2600x2350                                      | 中分1200x2100                                   | 2600x3100                                       | 4500/4600/4700/4900/5000 | 1600/1700/1800/1900/2000 | 14/22.1/24.4/28/34.7/42.1/52 |

注：此图仅供选型时参考，如需施工图，请以技术部设计图纸为准！

Note: This Figure Is Only For Reference When Choosing Models, Construction Drawings Are Subject To Design Drawings Of Technical Department!

# 全生命周期 一站式服务

Full life cycle one-stop service

广东铃木电梯为客户提供免费咨询、现场勘察、方案设计、施工安装、维保等一站式的电梯服务，客户全程可享受经济、时间、人力更为优化的电梯工程。

Guangdong GSE Elevator provides vast clients with one-stop elevator services such as free advisory, site surveying, plan design, construction and installation, repair & maintenance etc. Customers can enjoy full-course economical elevator projects with the more optimized time & labor.

## 售前咨询

Before-sale advisory



广东铃木电梯为客户提供专业的电梯咨询服务，派专业技术团队前往现场勘察情况，进行电梯井道尺寸测量并分析现场安装环境，确保为您的建筑打造完美客流。

Guangdong GSE Elevator provides vast clients with the professional elevator advisory service. It dispatches the professional technical team to survey the site conditions. It measures the elevator well size and analyzes the site installation environment. It ensures to produce the perfect passenger flow for your buildings.



## 方案制定

Plan formulation



广东铃木电梯为每个项目配有专业设计团队，根据现场施工环境与客户需求，制定电梯解决方案，在各个阶段保持积极的沟通，并在电梯交付前进行乘坐舒适性与平稳性测试，保障客户平稳、舒适、安心的乘梯享受。

Guangdong GSE Elevator offers the professional design team for every project. According to site construction environment and clients' requirements, it formulates the elevator solution plans. It makes positive communication at various stages. It goes through cozy and smooth tests before delivering the elevators. It guarantees the smooth, comfortable and trustworthy travel enjoyment for broad customers.





## 施工安装及维保

Construction, installation,  
repair and maintenance



拥有多支经验丰富、行动高效、训练有素的安装团队及维保团队，根据工地和设备的特定需求，为客户量身定制独立维保方案。广东铃木电梯客户服务中心24小时全天候为您提供服务支持，快速解决问题。

It owns several well-trained groups of installation, repair and maintenance teams with rich experience, effective action. According to specific requirements from the work site and equipment, it tailor-makes individual repair and maintenance plans for clients. Guangdong GSE Elevator Customer Service Center provides you with 24-hour a day all-weather service support. It quickly solves the problems for you.



## IOT云服务— 智能物联网为服务加速

IOT cloud-service — Intellectual Web  
of Things speeds up the services for you



搭载先进的物联网技术，联通 5G 时代，实时采集电梯运行数据，通过微处理器进行非常态数据分析，掌控每一台电梯运行状况的动态信息，实现主动检测故障、故障提示、质量评估、多媒体传输等功能的综合性电梯管理平台，轻松护航百万电梯。

It matches with the advanced Web of Things technology, UNICOM 5G times. It makes real-time collection to the elevator running data. Through non-normal data analysis from micro-processor, it grasps the dynamic information of running condition for each elevator. It is a comprehensive elevator management platform that fulfills positive trouble detection, trouble prompt, quality appraisal, multi-media transmission functions etc. It easily safeguards millions of elevators for you.





国家高新技术



CE认证



TUV认证



广东省名牌



ISO认证

用心·做好电梯

GREAT EFFORTS FOR BETTER ELEVATOR



微信订阅号



微信服务号



微官网

广东铃木电梯有限公司

GUANGDONG GSE ELEVATOR CO.,LTD.

服务热线 FREE SERVICE HOTLINE

400-822-6668

地址：佛山市南海狮山镇工业大道北穆院工业园12号

Add: NO.12,Muyuan Indrial Zone,Industrial Avenue North, shishan Town,Nanhai District,Foshan City.

电话(Tel):86-0757-85418427 传真(Fax):86-0757-85418627

网址(Web):www.gdlingmu.com

本印刷品仅供参考。本公司有权随时更改产品设计和规格。本印刷品所载信息就产品及其特殊用途之适用性、适销性、品质或任何采购协议条款不构成任何明示或暗示的担保或承诺。

2020年9月印刷

The printed products are for reference only,the company has the right change the designs and specifications of the products at any time,the information contained in the printed products does not constitute any express or implied guarantees or commitment for the products and its applicability ,merchantability,and quality of special purposes,or any terms of procurement agreement.